NORTHERN IRELAND TRANSMISSION LOSS ADJUSTMENT FACTORS 2018/19																									
Transmission Station	Bus Voltage kV	Station & Voltage	Month																						
			October 2018		November 2018		December 2018		January 2019		February 2019		March 2019		April 2019		May 2019		June 2019		July 2019		August 2019		September 2019	
			Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night
Aghyoule	110	Aghyoule 110kV	0.985	0.978	0.989	0.980	0.986	0.979	0.990	0.983	0.990	0.984	0.987	0.981	0.985	0.982	0.980	0.976	0.977	0.973	0.979	0.973	0.979	0.975	0.981	0.977
Antrim	110	Antrim 110kV	1.000	0.998	1.002	1.000	0.999	0.998	1.002	1.003	1.003	1.003	1.001	1.001	1.000	1.003	0.996	0.998	0.992	0.993	0.994	0.995	0.994	0.997	0.996	0.998
Ballylumford	110	Ballylumford 110kV	0.996	0.995	0.998	0.997	0.996	0.996	0.998	1.000	0.999	1.001	0.999	1.001	0.996	1.000	0.991	0.994	0.988	0.990	0.990	0.991	0.989	0.992	0.990	0.993
Ballylumford	275	Ballylumford 275kV	0.999	0.998	1.001	1.000	0.999	0.999	1.001	1.003	1.002	1.004	1.001	1.002	0.999	1.003	0.995	0.998	0.991	0.993	0.994	0.995	0.993	0.996	0.994	0.997
Ballymena	110	Ballymena 110kV	1.000	0.998	1.003	1.000	1.000	0.999	1.003	1.003	1.004	1.004	1.002	1.002	1.001	1.004	0.997	0.998	0.993	0.994	0.995	0.995	0.995	0.997	0.996	0.998
Banbridge	110	Banbridge 110kV	1.006	1.003	1.008	1.005	1.006	1.004	1.009	1.008	1.009	1.008	1.008	1.007	1.007	1.008	1.004	1.004	1.000	0.999	1.002	1.000	1.002	1.002	1.003	1.003
Ballyvallagh	110	Ballyvallagh 110kV	0.998	0.997	1.000	0.999	0.998	0.997	1.001	1.002	1.002	1.003	1.001	1.002	0.999	1.002	0.994	0.996	0.990	0.992	0.993	0.993	0.992	0.994	0.993	0.996
Ballynahinch	110	Ballynahinch 110kV	1.010	1.007	1.013	1.009	1.011	1.008	1.014	1.013	1.015	1.013	1.012	1.011	1.011	1.013	1.007	1.008	1.002	1.002	1.005	1.004	1.004	1.005	1.005	1.007
BELN1A	110	BELN1A 110kV	1.004	1.002	1.007	1.004	1.004	1.003	1.007	1.008	1.008	1.008	1.006	1.007	1.004	1.008	1.000	1.002	0.996	0.998	0.999	0.999	0.998	1.000	0.999	1.002
Carnmoney	110	Carnmoney 110kV	1.003	1.001	1.006	1.004	1.004	1.002	1.007	1.007	1.008	1.008	1.006	1.006	1.004	1.007	1.000	1.001	0.996	0.996	0.998	0.998	0.997	0.999	0.998	1.001
Castlereagh	110	Castlereagh 110kV	1.006	1.003	1.008	1.005	1.006	1.004	1.009	1.008	1.009	1.009	1.008	1.007	1.006	1.009	1.003	1.004	0.998	0.999	1.001	1.000	1.000	1.001	1.001	1.003
Castlereagh	275	Castlereagh 275kV	1.002	1.000	1.005	1.002	1.002	1.001	1.005	1.005	1.006	1.006	1.004	1.004	1.003	1.006	0.999	1.001	0.995	0.996	0.998	0.997	0.997	0.999	0.998	1.000
Belfast Central	110	Belfast Central 110kV	1.006	1.003	1.009	1.006	1.006	1.005	1.009	1.009	1.010	1.010	1.008	1.008	1.007	1.009	1.003	1.004	0.999	0.999	1.001	1.001	1.001	1.002	1.002	1.004
Coleraine	110	Coleraine 110kV	0.988	0.983	0.992	0.986	0.989	0.985	0.994	0.990	0.993	0.990	0.990	0.988	0.989	0.990	0.983	0.983	0.981	0.981	0.984	0.982	0.987	0.986	0.988	0.988
Coolkeeragh	110	Coolkeeragh 110kV	0.987	0.984	0.989	0.986	0.988	0.985	0.992	0.990	0.991	0.990	0.990	0.988	0.991	0.991	0.984	0.984	0.984	0.984	0.988	0.986	0.992	0.991	0.992	0.992
Coolkeeragh	275	Coolkeeragh 275kV	0.990	0.988	0.992	0.990	0.991	0.989	0.994	0.994	0.994	0.994	0.993	0.992	0.994	0.995	0.987	0.988	0.987	0.987	0.990	0.989	0.994	0.994	0.994	0.994
Creagh	110	Creagh 110kV	1.001	0.998	1.003	1.000	1.001	0.999	1.003	1.003	1.004	1.004	1.002	1.002	1.002	1.004	0.997	0.998	0.994	0.994	0.996	0.995	0.996	0.997	0.997	0.999
Cregagh	110	Cregagh 110kV	1.006	1.003	1.009	1.006	1.006	1.004	1.009	1.009	1.010	1.010	1.008	1.008	1.007	1.009	1.003	1.004	0.999	0.999	1.001	1.001	1.001	1.002	1.002	1.004
Donegal	110	Donegal 110kV	1.004	1.002	1.006	1.004	1.004	1.003	1.007	1.007	1.007	1.008	1.006	1.006	1.004	1.007	1.000	1.002	0.996	0.997	0.999	0.999	0.998	1.000	0.999	1.002
Drumnakelly	110	Drumnakelly 110kV	1.003	1.001	1.006	1.003	1.004	1.002	1.006	1.006	1.007	1.006	1.005	1.005	1.005	1.006	1.001	1.002	0.998	0.997	1.000	0.998	1.000	1.000	1.001	1.001
Dungannon	110	Dungannon 110kV	0.998	0.995	1.001	0.997	0.998	0.996	1.001	1.000	1.001	1.001	1.000	0.999	1.000	1.001	0.996	0.996	0.992	0.991	0.994	0.993	0.995	0.994	0.996	0.996
Eden	110	Eden 110kV	1.001	0.999	1.003	1.001	1.001	1.000	1.004	1.005	1.005	1.006	1.004	1.005	1.001	1.004	0.997	0.999	0.993	0.994	0.995	0.996	0.994	0.996	0.995	0.998
Enniskillen	110	Enniskillen 110kV	0.989	0.982	0.992	0.985	0.990	0.984	0.993	0.988	0.993	0.988	0.991	0.985	0.989	0.987	0.985	0.981	0.982	0.978	0.984	0.978	0.984	0.980	0.985	0.982
Finaghy	110	Finaghy 110kV	1.003	1.001	1.006	1.004	1.003	1.002	1.006	1.007	1.007	1.008	1.005	1.006	1.004	1.007	1.000	1.002	0.996	0.997	0.998	0.998	0.997	0.999	0.998	1.001
Glengormley	110	Glengormley 110kV	1.002	0.999	1.004	1.001	1.002	1.000	1.004	1.004	1.005	1.005	1.003	1.003	1.003	1.005	0.998	1.000	0.994	0.995	0.997	0.996	0.997	0.998	0.998	1.000
Hannahstown	110	Hannahstown 110kV	1.003	1.001	1.005	1.003	1.003	1.002	1.006	1.007	1.007	1.007	1.005	1.006	1.003	1.007	0.999	1.002	0.995	0.997	0.998	0.998	0.997	0.999	0.998	1.001
Hannahstown	275	Hannahstown 275kV	1.002	1.000	1.004	1.002	1.002	1.001	1.004	1.005	1.005	1.006	1.004	1.004	1.002	1.005	0.998	1.000	0.994	0.996	0.997	0.997	0.996	0.998	0.997	1.000
Kells	110	Kells 110kV	0.999	0.997	1.001	0.999	0.998	0.998	1.001	1.002	1.001	1.002	1.000	1.001	1.000	1.003	0.995	0.997	0.991	0.993	0.994	0.994	0.994	0.996	0.995	0.997
Kells	275	Kells 275kV	0.999	0.997	1.001	0.999	0.999	0.998	1.001	1.002	1.002	1.003	1.001	1.001	1.000	1.003	0.996	0.998	0.992	0.993	0.995	0.995	0.995	0.996	0.996	0.998
Killymallaght	110	Killymallaght 110kV	0.985	0.981	0.987	0.983	0.985	0.982	0.989	0.987	0.989	0.987	0.987	0.985	0.988	0.987	0.982	0.980	0.981	0.980	0.985	0.981	0.988	0.985	0.988	0.986
Kilroot	275	Kilroot 275kV	0.999	0.997	1.001	0.999	0.999	0.998	1.001	1.002	1.002	1.002	1.000	1.001	1.001	1.003	0.997	0.998	0.993	0.993	0.995	0.995	0.996	0.997	0.996	0.998
Knock	110	Knock 110kV	1.007	1.004	1.009	1.006	1.007	1.005	1.010	1.009	1.010	1.010	1.008	1.008	1.007	1.010	1.003	1.005	0.999	1.000	1.002	1.001	1.001	1.002	1.002	1.004
Larne	110	Larne 110kV	0.999	0.997	1.001	0.999	0.999	0.998	1.002	1.002	1.002	1.003	1.001	1.002	0.999	1.002	0.995	0.997	0.991	0.992	0.993	0.994	0.993	0.995	0.994	0.997
Limavady	110	Limavady 110kV	0.988	0.983	0.991	0.986	0.989	0.985	0.993	0.990	0.993	0.990	0.990	0.988	0.990	0.991	0.984	0.983	0.982	0.982	0.986	0.983	0.989	0.988	0.990	0.989
Lisburn	110	Lisburn 110kV	1.005	1.002	1.007	1.005	1.005	1.003	1.008	1.008	1.008	1.009	1.006	1.007	1.005	1.008	1.001	1.003	0.997	0.998	0.999	0.999	0.999	1.001	1.000	1.002
Lisaghmore	110	Lisaghmore 110kV	0.988	0.984	0.990	0.986	0.988	0.986	0.992	0.991	0.992	0.991	0.990	0.989	0.992	0.992	0.985	0.984	0.985	0.985	0.989	0.986	0.992	0.991	0.993	0.993
Loguestown	110	Loguestown 110kV	0.989	0.984	0.993	0.986	0.990	0.986	0.995	0.991	0.994	0.991	0.991	0.988	0.990	0.991	0.984	0.983	0.981	0.982	0.985	0.983	0.987	0.987	0.989	0.989
Magherafelt	275	Magherafelt 275kV	0.998	0.996	1.000	0.998	0.998	0.997	1.001	1.001	1.001	1.002	1.000	1.000	1.000	1.002	0.995	0.996	0.992	0.993	0.995	0.994	0.995	0.996	0.996	0.997
Magherakeel	110	Magherakeel 110kV	0.978	0.973	0.980	0.975	0.978	0.974	0.981	0.978	0.981	0.978	0.979	0.976	0.978	0.977	0.973	0.971	0.971	0.969	0.973	0.969	0.974	0.971	0.975	0.973
Moyle (Ballycronan More)		Moyle (Ballycronan More) kV	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Moyle (Auchencrosh)	275	Auchencrosh 275kV	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976
Newtownards	110	Newtownards 110kV	1.008	1.005	1.011	1.007	1.008	1.006	1.011	1.011	1.012	1.012	1.010	1.009	1.009	1.011	1.005	1.006	1.000	1.001	1.003	1.002	1.002	1.003	1.003	1.005
Newry	110	Newry 110kV	1.009	1.005	1.013	1.008	1.010	1.007	1.013	1.011	1.014	1.012	1.012	1.010	1.011	1.011	1.007	1.007	1.003	1.002	1.005	1.003	1.005	1.004	1.006	1.006
Omagh	110	Omagh 110kV	0.988	0.983	0.990	0.985	0.988	0.984	0.991	0.988	0.991	0.989	0.989	0.986	0.989	0.987	0.984	0.982	0.981	0.979	0.983	0.979	0.984	0.982	0.985	0.983
Rathgael	110	Rathgael 110kV	1.010	1.006	1.013	1.009	1.010	1.008	1.014	1.012	1.014	1.013	1.012	1.011	1.010	1.013	1.007	1.007	1.002	1.002	1.004	1.003	1.004	1.005	1.005	1.007
Rosebank	110	Rosebank 110kV	1.006	1.003	1.008	1.005	1.006	1.004	1.009	1.009	1.009	1.009	1.008	1.007	1.006	1.009	1.003	1.004	0.998	0.999	1.001	1.000	1.000	1.001	1.001	1.003
Springtown	110	Springtown 110kV	0.988	0.985	0.991	0.987	0.989	0.986	0.993	0.992	0.992	0.991	0.991	0.989	0.992	0.993	0.986	0.985	0.985	0.985	0.989	0.987	0.993	0.992	0.993	0.993
Strabane	110	Strabane 110kV	0.986	0.981	0.989	0.984	0.987	0.983	0.991	0.988	0.990	0.988	0.988	0.985	0.989	0.987	0.983	0.981	0.982	0.980	0.985	0.981	0.987	0.984	0.988	0.986
Tandragee	110	Tandragee 110kV	1.003	1.001	1.005	1.003	1.003	1.002	1.006	1.005	1.006	1.006	1.005	1.004	1.005	1.006	1.001	1.001	0.997	0.997	0.999	0.998	1.000	1.000	1.000	1.001
Tandragee	275	Tandragee 275kV	1.001	0.999	1.003	1.001	1.001	1.000	1.003	1.003	1.004	1.004	1.002	1.002	1.002	1.004	0.999	0.999	0.995	0.995	0.997	0.996	0.998	0.998	0.998	0.999
Tamnamore	110	Tamnamore 110kV	0.998	0.995	1.000	0.997	0.998	0.996	1.000	1.000	1.001	1.000	0.999	0.999	0.999	1.000	0.995	0.995	0.992	0.991	0.994	0.993	0.995	0.994	0.995	0.996
Tamnamore	275	Tamnamore 275kV	1.001	0.998	1.001	0.997	1.000	0.997	0.999	1.001	0.999	1.001	0.997	0.998	1.000	1.001	1.001	0.999	0.998	0.996	1.000	0.997	1.000	0.999	0.999	0.995
Waringstown	110	Waringstown 110kV	1.006	1.003	1.008	1.005	1.006	1.004	1.009	1.008	1.009	1.008	1.007	1.007	1.007	1.008	1.003	1.004	0.999	0.999	1.001	1.000	1.002	1.002	1.003	1.003
Rasharkin	110	Rasharkin 110kV	0.987	0.983	0.990	0.986	0.988	0.985	0.992	0.989	0.991	0.990	0.988	0.987	0.987	0.990	0.982	0.983	0.978	0.980	0.981	0.981	0.983	0.984	0.985	0.986
Gort	110	Gort 110kV	0.990	0.985	0.992	0.988	0.990	0.987	0.993	0.991	0.993	0.991	0.991	0.989	0.991	0.990	0.986	0.985	0.983	0.982	0.985	0.982	0.986	0.984	0.987	0.986
Tremoge	110	Tremoge 110kV	0.990	0.986	0.992	0.988	0.990	0.987	0.993	0.991	0.993	0.992	0.991	0.989	0.991	0.991	0.986	0.985	0.984	0.982	0.986	0.983	0.986	0.985	0.987	0.986
Brockaghboy	110	Brockaghboy 110kV	0.986	0.982	0.989	0.984	0.986	0.983	0.990	0.988	0.990	0.988	0.987	0.986	0.985	0.988	0.980	0.981	0.976	0.979	0.980	0.980	0.981	0.982	0.983	0.984
Curraghmulkin	110	Curraghmulkin 110kV	0.985	0.979	0.988	0.982	0.985	0.981	0.989	0.985	0.989	0.985	0.986	0.982	0.986	0.984	0.981	0.978	0.978	0.975	0.980	0.975	0.981	0.978	0.982	0.979
Omagh South	110	Omagh South 110kV	0.987	0.981	0.990	0.984	0.987	0.982	0.991	0.986	0.991	0.987	0.988	0.984	0.987	0.986	0.983	0.980	0.980	0.977	0.982	0.977	0.983	0.980	0.984	0.981
Slieve Kirk	110	Slieve Kirk 110kV	0.983	0.979	0.985	0.981	0.983	0.980	0.987	0.985	0.986	0.985	0.985	0.983	0.986	0.985	0.979	0.978	0.979	0.978	0.982	0.979	0.985	0.983	0.986	0.983

1) Moyle TLAFs have been calculated using the I-SEM methodology for the full 2018-19 tariff year.

MARKET PARTICIPANTS - NORTHERN IRELAND TRANSMISSION LOSS ADJUSTMENT FACTORS 2018/19

NI Transmission-Connected Generation Station	Unit Identifier		Connected at	Month																			
				October 2018		November 2018		December 2018		January 2019		February 2019		March 2019		April 2019		May 2019		June 2019		July 2019		August 2019		September 2019	
	SO	MO		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night
Ballylumford	B4	GU_500282	Ballylumford 275kV	0.999	0.998	1.001	1.000	0.999	0.999	1.001	1.003	1.002	1.004	1.001	1.002	0.999	1.003	0.995	0.998	0.991	0.993	0.994	0.995	0.993	0.996	0.994	0.997
Ballylumford	B5	GU_500281	Ballylumford 275kV	0.999	0.998	1.001	1.000	0.999	0.999	1.001	1.003	1.002	1.004	1.001	1.002	0.999	1.003	0.995	0.998	0.991	0.993	0.994	0.995	0.993	0.996	0.994	0.997
Ballylumford	GT1	GU_500283	Ballylumford 110kV	0.996	0.995	0.998	0.997	0.996	0.996	0.998	1.000	0.999	1.001	0.999	1.001	0.996	1.000	0.991	0.994	0.988	0.990	0.990	0.991	0.989	0.992	0.990	0.993
Ballylumford	GT2	GU_500284	Ballylumford 110kV	0.996	0.995	0.998	0.997	0.996	0.996	0.998	1.000	0.999	1.001	0.999	1.001	0.996	1.000	0.991	0.994	0.988	0.990	0.990	0.991	0.989	0.992	0.990	0.993
Ballylumford	B10	GU_500140	Ballylumford 110kV	0.996	0.995	0.998	0.997	0.996	0.996	0.998	1.000	0.999	1.001	0.999	1.001	0.996	1.000	0.991	0.994	0.988	0.990	0.990	0.991	0.989	0.992	0.990	0.993
Ballylumford Combined	B31 B32	GU_500130/131	Ballylumford 275kV	0.999	0.998	1.001	1.000	0.999	0.999	1.001	1.003	1.002	1.004	1.001	1.002	0.999	1.003	0.995	0.998	0.991	0.993	0.994	0.995	0.993	0.996	0.994	0.997
Coolkeeragh	C30	GU_500040	Coolkeeragh 275kV	0.990	0.988	0.992	0.990	0.991	0.989	0.994	0.994	0.994	0.994	0.993	0.992	0.994	0.995	0.987	0.988	0.987	0.987	0.990	0.989	0.994	0.994	0.994	0.994
Coolkeeragh	CGT8	GU_500041	Coolkeeragh 110kV	0.987	0.984	0.989	0.986	0.988	0.985	0.992	0.990	0.991	0.990	0.990	0.988	0.991	0.991	0.984	0.984	0.984	0.984	0.988	0.986	0.992	0.991	0.992	0.992
Kilroot	K1	GU_500822	Kilroot 275kV	0.999	0.997	1.001	0.999	0.999	0.998	1.001	1.002	1.002	1.002	1.000	1.001	1.001	1.003	0.997	0.998	0.993	0.993	0.995	0.995	0.996	0.997	0.996	0.998
Kilroot	K2	GU_500823	Kilroot 275kV	0.999	0.997	1.001	0.999	0.999	0.998	1.001	1.002	1.002	1.002	1.000	1.001	1.001	1.003	0.997	0.998	0.993	0.993	0.995	0.995	0.996	0.997	0.996	0.998
Kilroot	KGT1	GU_500824	Kilroot 275kV	0.999	0.997	1.001	0.999	0.999	0.998	1.001	1.002	1.002	1.002	1.000	1.001	1.001	1.003	0.997	0.998	0.993	0.993	0.995	0.995	0.996	0.997	0.996	0.998
Kilroot	KGT2	GU_500825	Kilroot 275kV	0.999	0.997	1.001	0.999	0.999	0.998	1.001	1.002	1.002	1.002	1.000	1.001	1.001	1.003	0.997	0.998	0.993	0.993	0.995	0.995	0.996	0.997	0.996	0.998
Kilroot	KGT3	GU_500820	Kilroot 275kV	0.999	0.997	1.001	0.999	0.999	0.998	1.001	1.002	1.002	1.002	1.000	1.001	1.001	1.003	0.997	0.998	0.993	0.993	0.995	0.995	0.996	0.997	0.996	0.998
Kilroot	KGT4	GU_500821	Kilroot 275kV	0.999	0.997	1.001	0.999	0.999	0.998	1.001	1.002	1.002	1.002	1.000	1.001	1.001	1.003	0.997	0.998	0.993	0.993	0.995	0.995	0.996	0.997	0.996	0.998
Brockaghboy	BKY	GU_501670	Brockaghboy 110kV	0.986	0.982	0.989	0.984	0.986	0.983	0.990	0.988	0.990	0.988	0.987	0.986	0.985	0.988	0.980	0.981	0.976	0.979	0.980	0.980	0.981	0.982	0.983	0.984
Slieve Kirk	Wind Farm	GU_501160	Killymallaght 110kV	0.985	0.981	0.987	0.983	0.985	0.982	0.989	0.987	0.989	0.987	0.987	0.985	0.988	0.987	0.982	0.980	0.981	0.980	0.985	0.981	0.988	0.985	0.988	0.986
Moyle (Auchencrosh)*	M	GU_500200	Auchencrosh 275kV	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976

NI Distribution-Connected Generation Station	Unit Identifier		Connected/Embedded at	Month																			
				October 2018		November 2018		December 2018		January 2019		February 2019		March 2019		April 2019		May 2019		June 2019		July 2019		August 2019		September 2019	
	SO	MO		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night
Altahullion (1)	Wind Farm	GU_503200	Limavady 110kV	0.988	0.983	0.991	0.986	0.989	0.985	0.993	0.990	0.993	0.990	0.990	0.988	0.990	0.991	0.984	0.983	0.982	0.982	0.986	0.983	0.989	0.988	0.990	0.989
Altahullion (2)	Wind Farm	GU_500211	Limavady 110kV	0.988	0.983	0.991	0.986	0.989	0.985	0.993	0.990	0.993	0.990	0.990	0.988	0.990	0.991	0.984	0.983	0.982	0.982	0.986	0.983	0.989	0.988	0.990	0.989
Callagheen	Wind Farm	GU_500020	Enniskillen 110kV	0.989	0.982	0.992	0.985	0.990	0.984	0.993	0.988	0.993	0.988	0.991	0.985	0.989	0.987	0.985	0.981	0.982	0.978	0.984	0.978	0.984	0.980	0.985	0.982
Crockagarran	Wind Farm	GU_501050	Dungannon 110kV	0.998	0.995	1.001	0.997	0.998	0.996	1.001	1.000	1.001	1.001	1.000	0.999	1.000	1.001	0.996	0.996	0.992	0.991	0.994	0.993	0.995	0.994	0.996	0.996
Hunter's Hill	Wind Farm	GU_501040	Omagh 110kV	0.988	0.983	0.990	0.985	0.988	0.984	0.991	0.988	0.991	0.989	0.989	0.986	0.989	0.987	0.984	0.982	0.981	0.979	0.983	0.979	0.984	0.982	0.985	0.983
Lendrums Bridge (1)	Wind Farm	GU_501310	Omagh 110kV	0.988	0.983	0.990	0.985	0.988	0.984	0.991	0.988	0.991	0.989	0.989	0.986	0.989	0.987	0.984	0.982	0.981	0.979	0.983	0.979	0.984	0.982	0.985	0.983
Lendrums Bridge (2)	Wind Farm	GU_503210	Omagh 110kV	0.988	0.983	0.990	0.985	0.988	0.984	0.991	0.988	0.991	0.989	0.989	0.986	0.989	0.987	0.984	0.982	0.981	0.979	0.983	0.979	0.984	0.982	0.985	0.983
Slieve Rushen 2	Wind Farm	GU_500270	Aghyoule 110kV	0.985	0.978	0.989	0.980	0.986	0.979	0.990	0.983	0.990	0.984	0.987	0.981	0.985	0.982	0.980	0.976	0.977	0.973	0.979	0.973	0.979	0.975	0.981	0.977
Snugborough	Wind Farm	GU_503310	Aghyoule 110kV	0.985	0.978	0.989	0.980	0.986	0.979	0.990	0.983	0.990	0.984	0.987	0.981	0.985	0.982	0.980	0.976	0.977	0.973	0.979	0.973	0.979	0.975	0.981	0.977
Tappaghan	Wind Farm	GU_500010	Omagh 110kV	0.988	0.983	0.990	0.985	0.988	0.984	0.991	0.988	0.991	0.989	0.989	0.986	0.989	0.987	0.984	0.982	0.981	0.979	0.983	0.979	0.984	0.982	0.985	0.983
Slieve Divena	Wind Farm	GU_500740	Omagh 110kV	0.988	0.983	0.990	0.985	0.988	0.984	0.991	0.988	0.991	0.989	0.989	0.986	0.989	0.987	0.984	0.982	0.981	0.979	0.983	0.979	0.984	0.982	0.985	0.983
Garves	Wind Farm	GU_500720	Coleraine 110kV	0.988	0.983	0.992	0.986	0.989	0.985	0.994	0.990	0.993	0.990	0.990	0.988	0.989	0.990	0.983	0.983	0.981	0.981	0.984	0.982	0.987	0.986	0.988	0.988
Gruig	Wind Farm	GU_500790	Coleraine 110kV	0.988	0.983	0.992	0.986	0.989	0.985	0.994	0.990	0.993	0.990	0.990	0.988	0.989	0.990	0.983	0.983	0.981	0.981	0.984	0.982	0.987	0.986	0.988	0.988
Screggagh	Wind Farm	GU_501120	Omagh 110kV	0.988	0.983	0.990	0.985	0.988	0.984	0.991	0.988	0.991	0.989	0.989	0.986	0.989	0.987	0.984	0.982	0.981	0.979	0.983	0.979	0.984	0.982	0.985	0.983
Curryfree	Wind Farm	GU_501150	Lisaghmore 110kV	0.988	0.984	0.990	0.986	0.988	0.986	0.992	0.991	0.992	0.991	0.990	0.989	0.992	0.992	0.985	0.984	0.985	0.985	0.989	0.986	0.992	0.991	0.993	0.993
Crighshane	Wind Farm	GU_501180	Magherakeel 110kV	0.978	0.973	0.980	0.975	0.978	0.974	0.981	0.978	0.981	0.978	0.979	0.976	0.978	0.977	0.973	0.971	0.971	0.969	0.973	0.969	0.974	0.971	0.975	0.973
Church Hill	Wind Farm	GU_501170	Magherakeel 110kV	0.978	0.973	0.980	0.975	0.978	0.974	0.981	0.978	0.981	0.978	0.979	0.976	0.978	0.977	0.973	0.971	0.971	0.969	0.973	0.969	0.974	0.971	0.975	0.973
Carrickatane	Wind Farm	GU_501190	Killymallaght 110kV	0.985	0.981	0.987	0.983	0.985	0.982	0.989	0.987	0.989	0.987	0.987	0.985	0.988	0.987	0.982	0.980	0.981	0.980	0.985	0.981	0.988	0.985	0.988	0.986
Carn Hill	Wind Farm	GU_501210	Carnmoney 110kV	1.003	1.001	1.006	1.004	1.004	1.002	1.007	1.007	1.008	1.008	1.006	1.006	1.004	1.007	1.000	1.001	0.996	0.996	0.998	0.998	0.997	0.999	0.998	1.001
Dunmore	Wind Farm	GU_501250	Coleraine 110kV	0.988	0.983	0.992	0.986	0.989	0.985	0.994	0.990	0.993	0.990	0.990	0.988	0.989	0.990	0.983	0.983	0.981	0.981	0.984	0.982	0.987	0.986	0.988	0.988
Dunbeg	Wind Farm	GU_501280	Coleraine 110kV	0.988	0.983	0.992	0.986	0.989	0.985	0.994	0.990	0.993	0.990	0.990	0.988	0.989	0.990	0.983	0.983	0.981	0.981	0.984	0.982	0.987	0.986	0.988	0.988
Thornog	Wind Farm	GU_501290	Magherakeel 110kV	0.978	0.973	0.980	0.975	0.978	0.974	0.981	0.978	0.981	0.978	0.979	0.976	0.978	0.977	0.973	0.971	0.971	0.969	0.973	0.969	0.974	0.971	0.975	0.973
Molly Mountain	Wind Farm	GU_501300	Aghyoule 110kV	0.985	0.978	0.989	0.980	0.986	0.979	0.990	0.983	0.990	0.984	0.987	0.981	0.985	0.982	0.980	0.976	0.977	0.973	0.979	0.973	0.979	0.975	0.981	0.977
Monnaboy	Wind Farm	GU_501360	Coolkeeragh 110kV	0.987	0.984	0.989	0.986	0.988	0.985	0.992	0.990	0.991	0.990	0.990	0.988	0.991	0.991	0.984	0.984	0.984	0.984	0.988	0.986	0.992	0.991	0.992	0.992
Seegronan	Wind Farm	GU_501400	Magherakeel 110kV	0.978	0.973	0.980	0.975	0.978	0.974	0.981	0.978	0.981	0.978	0.979	0.976	0.978	0.977	0.973	0.971	0.971	0.969	0.973	0.969	0.974	0.971	0.975	0.973
Cloonty	Wind Farm	GU_501390	Loguestown 110kV	0.989	0.984	0.993	0.986	0.990	0.986	0.995	0.991	0.994	0.991	0.991	0.988	0.990	0.991	0.984	0.983	0.981	0.982	0.985	0.983	0.987	0.987	0.989	0.989
Tievenameenta	Wind Farm	GU_501500	Magherakeel 110kV	0.978	0.973	0.980	0.975	0.978	0.974	0.981	0.978	0.981	0.978	0.979	0.976	0.978	0.977	0.973	0.971	0.971	0.969	0.973	0.969	0.974	0.971	0.975	0.973
Ora More	Wind Farm	GU_501520	Enniskillen 110kV	0.989	0.982	0.992	0.985	0.990	0.984	0.993	0.988	0.993	0.988	0.991	0.985	0.989	0.987	0.985	0.981	0.982	0.978	0.984	0.978	0.984	0.980	0.985	0.982
Eglish	Wind Farm	GU_501440	Killymallaght 110kV	0.985	0.981	0.987	0.983	0.985	0.982	0.989	0.987	0.989	0.987	0.987	0.985	0.988	0.987	0.982	0.980	0.981	0.980	0.985	0.981	0.988	0.985	0.988	0.986
Long Mountain	Wind Farm	GU_501540	Rasharkin 110kV	0.987	0.983	0.990	0.986	0.988	0.985	0.992	0.989	0.991	0.990	0.988	0.987	0.987	0.990	0.982	0.983	0.978	0.980	0.981	0.981	0.983	0.984	0.985	0.986
Cregganconroe	Wind Farm	GU_501480	Tremoge 110kV	0.990	0.986	0.992	0.988	0.990	0.987	0.993	0.991	0.993	0.992	0.991	0.989	0.991	0.991	0.986	0.985	0.984	0.982	0.986	0.983	0.986	0.985	0.987	0.986
Gortfinbar	Wind Farm	GU_501530	Tremoge 110kV	0.990	0.986	0.992	0.988	0.990	0.987	0.993	0.991	0.993	0.992	0.991	0.989	0.991	0.991	0.986	0.985	0.984	0.982	0.986	0.983	0.986	0.985	0.987	0.986
Corby Knowe	Wind Farm	GU_501410	Antrim 110kV	1.000	0.998	1.002	1.000	0.999	0.998	1.002	1.003	1.003	1.003	1.001	1.001	1.000	1.003	0.996	0.998	0.992	0.993	0.994	0.995	0.994	0.997	0.996	0.998
Slieve Divena 2	Wind Farm	GU_501550	Gort 110kV	0.990	0.985	0.992	0.988	0.990	0.987	0.993	0.991	0.993	0.991	0.991	0.989	0.991	0.990	0.986	0.985	0.983	0.982	0.985	0.982	0.986	0.984	0.987	0.986
Altamuskin	Wind Farm	GU_501570	Gort 110kV	0.990	0.985	0.992	0.988	0.990	0.987	0.993	0.991	0.993	0.991	0.991	0.989	0.991	0.990	0.986	0.985	0.983	0.982	0.985	0.982	0.986	0.984	0.987	0.986
Inishative	Wind Farm	GU_501490	Tremoge 110kV	0.990	0.986	0.992	0.988	0.990	0.987	0.993	0.991	0.993	0.992	0.991	0.989	0.991	0.991	0.986	0.985	0.984	0.982	0.986	0.983	0.986	0.985	0.987	0.986
Crockandun	Wind Farm	GU_501710	Tremoge 110kV	0.990	0.986	0.992	0.988	0.990	0.987	0.993	0.991	0.993	0.992	0.991	0.989	0.991	0.991	0.986	0.985	0.984	0.982	0.986	0.983	0.986	0.985	0.987	0.986
Shantavny Scotch	Wind Farm	GU_501700	Gort 110kV	0.990	0.985	0.992	0.988	0.990	0.987	0.993	0.991	0.993	0.991	0.991	0.989	0.991	0.990	0.986	0.985	0.983	0.982	0.985	0.982	0.986	0.984	0.987	0.986
Altaveedan	Wind Farm	GU_501620	Rasharkin 110kV	0.987	0.983	0.990	0.986	0.988	0.985	0.992	0.989	0.991	0.990	0.988	0.987	0.987	0.990	0.982	0.983	0.978	0.980	0.981	0.981	0.983	0.984	0.985	0.986
Crockdun	Wind Farm	GU_501430	Tremoge 110kV	0.990	0.986	0.992	0.988	0.990	0.987	0.993	0.991	0.993	0.992	0.991	0.989	0.991	0.991	0.986	0.985	0.984	0.982	0.986	0.983	0.986	0.985	0.987	0.986
Rathsherry	Wind Farm	GU_501680	Ballymena 110kV	1.000	0.998	1.003	1.000	1.000	0.999	1.003	1.003	1.004	1.004	1.002	1.002	1.001	1.004	0.997	0.998	0.993	0.994	0.995	0.995	0.995	0.997	0.996	0.998
Elginny Hill	Wind Farm	GU_501720	Ballymena 110kV	1.000	0.998	1.003	1.000	1.000	0.999	1.003	1.003	1.004	1.004	1.002	1.002	1.001	1.004	0.997	0.998	0.993	0.994	0.995	0.995	0.995	0.997	0.996	0.998
Cornavarrow	Wind Farm	GU_501750	Curraghmulkin 110kV	0.985	0.979	0.988	0.982	0.985	0.981	0.989	0.985	0.989	0.985	0.986	0.982	0.986	0.984	0.981	0.978	0.978	0.975	0.980	0.975	0.981	0.978	0.982	0.979
Castlecraig	Wind Farm	GU_501730	Curraghmulkin 110kV	0.985	0.979	0.988	0.982	0.985	0.981	0.989	0.985	0.989	0.985	0.986	0.982	0.986	0.984	0.981	0.978	0.978	0.975	0.980	0.975	0.981	0.978	0.982	0.979
Teiges	Wind Farm	GU_501740	Gort 110kV	0.990	0.985	0.992	0.988	0.990	0.987	0.993	0.991	0.993	0.991	0.991	0.989	0.991	0.990	0.986	0.985	0.983	0.982	0.985	0.982	0.986	0.984	0.987	0.986
Rasharkin PV (Bann Road PV)	Solar Farm	GU_501630	Rasharkin 110kV	0.987	0.983	0.990	0.986	0.988	0.985	0.992	0.989	0.991	0.990	0.988	0.987	0.987	0.990	0.982	0.983	0.978	0.980	0.981	0.981	0.983	0.984	0.985	0.986
Lough Road PV	Solar Farm	GU_501650	Lisburn 110kV	1.005	1.002	1.007	1.005	1.005	1.003	1.008	1.008	1.008	1.009	1.006	1.007	1.005	1.008	1.001	1.003	0.997	0.998	0.999	0.999	0.999	1.001	1.000	1.002
Ballinderry Road	Solar Farm	GU_501660	Lisburn 110kV	1.005	1.002	1.007	1.005	1.005	1.003	1.008	1.008	1.008	1.009	1.006	1.007	1.005	1.008	1.001	1.003	0.997	0.998	0.999	0.999	0.999	1.001	1.000	1.002
Maghaberry Road PV	Solar Farm	GU_501690	Lisburn 110kV	1.005	1.002	1.007	1.005	1.005	1.003	1.008	1.008	1.008	1.009	1.006	1.007	1.005	1.008	1.001	1.003	0.997	0.998	0.999	0.999	0.999	1.001	1.000	1.002
Lisahally Power Station	Biomass	GU_501350	Coolkeeragh 110kV	0.987	0.984	0.989	0.986	0.988	0.985	0.992	0.990	0.991	0.990	0.990	0.988	0.991	0.991	0.984	0.984	0.984	0.984	0.988	0.986	0.992	0.991	0.992	0.992
Contour Global APTG	CG2	GU_500900	Lisburn 110kV	1.005	1.002	1.006	1.001	1.004	1.001	1.004	1.005	1.003	1.005	1.002	1.002	1.004	1.005	1.004	1.003	1.000	0.999	1.002	1.000	1.002	1.002	1.003	0.999
Contour Global AGU	AGU	GU_500904	Lisburn 110kV	1.005	1.002	1.006	1.001	1.004	1.001	1.004	1.005	1.003	1.005	1.002	1.002	1.004	1.005	1.004	1.003	1.000	0.999	1.002	1.000	1.002	1.002	1.003	0.999
Empower AGU	AGU	GU_501230	AGU	1.002	1.000	1.005	1.002	1.002	1.001	1.005	1.005	1.006	1.006	1.004	1.004	1.003	1.005	0.999	1.000	0.995	0.995	0.997	0.997	0.997	0.998	0.998	1.000
iPower AGU	AGU	GU_501130	AGU	0.999	0.996	1.002	0.999	1.000	0.997	1.003	1.002	1.003	1.002	1.001	1.000	1.000	1.002	0.996	0.997	0.993	0.992	0.995	0.994	0.995	0.996	0.996	0.997

1) Moyle TLAFs have been calculated using the I-SEM methodology for the full 2018-19 tariff year.

MARKET PARTICIPANTS - NORTHERN IRELAND DISTRIBUTION LOSS ADJUSTMENT FACTORS 2018/19

NI Transmission-Connected Generation Station	Unit Identifier		Connected at	Month																							
				October 2018		November		December		January 2019		February 2019		March 2019		April 2019		May 2019		June 2019		July 2019		August 2019		September	
	SO	MO		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night
Ballylumford	B4	GU_500282	Ballylumford 275 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Ballylumford (deregistered GU_500110)	B5	GU_500281	Ballylumford 275 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Ballylumford	GT1	GU_500283	Ballylumford 110 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Ballylumford	GT2	GU_500284	Ballylumford 110 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Ballylumford	B10	GU_500140	Ballylumford 110 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Ballylumford Combined	B31 B32	GU_500130/131	Ballylumford 275 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Coolkeeragh	C30	GU_500040	Coolkeeragh 275/110 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Coolkeeragh	CGT8	GU_500041	Coolkeeragh 110 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Kilroot	K1	GU_500822	Kilroot 275 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Kilroot	K2	GU_500823	Kilroot 275 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Kilroot	KGT1	GU_500824	Kilroot 275 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Kilroot	KGT2	GU_500825	Kilroot 275 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Kilroot	KGT3	GU_500820	Kilroot 275 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Kilroot	KGT4	GU_500821	Kilroot 275 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Brockaghboy	BKY	GU_501670	Brockaghboy 110kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Slieve Kirk	SK1	GU_501160	Slieve Kirk 110kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Moyle (Auchencrosh)*	M	GU_500200	Auchencrosh 275 kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000

NI Distribution-Connected Generation Station	Unit Identifier		Connected/Embedded at	Month																							
				October 2018		November		December		January 2019		February 2019		March 2019		April 2019		May 2019		June 2019		July 2019		August 2019		September	
	SO	MO		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night
Altahullion (1)	Wind Farm	GU_503200	Limavady 110kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Altahullion (2)	Wind Farm	GU_500211	Limavady 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Callagheen	Wind Farm	GU_500020	Enniskillen 110kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Crockagarran	Wind Farm	GU_501050	Dungannon 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Hunter's Hill	Wind Farm	GU_501040	Omagh 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Lendrums Bridge (1)	Wind Farm	GU_501310	Omagh 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Lendrums Bridge (2)	Wind Farm	GU_503210	Omagh 110kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Slieve Rushen 2	Wind Farm	GU_500270	Aghyoule 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Snugborough	Wind Farm	GU_503310	Aghyoule 110kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Tappaghan	Wind Farm	GU_500010	Omagh 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Slieve Divena	Wind Farm	GU_500740	Omagh 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Garves	Wind Farm	GU_500720	Coleraine 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Gruig	Wind Farm	GU_500790	Coleraine 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Screggagh	Wind Farm	GU_501120	Omagh 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Curryfree	Wind Farm	GU_501150	Lisaghmore 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Crighshane	Wind Farm	GU_501180	Magherakeel 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Church Hill	Wind Farm	GU_501170	Magherakeel 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Carrickatane	Wind Farm	GU_501190	Killymallaght 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Carn Hill	Wind Farm	GU_501210	Carnmoney 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Dunmore	Wind Farm	GU_501250	Coleraine 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Dunbeg	Wind Farm	GU_501280	Coleraine 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Thornog	Wind Farm	GU_501290	Magherakeel 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Molly Mountain	Wind Farm	GU_501300	Aghyoule 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Monnaboy	Wind Farm	GU_501360	Coolkeeragh 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Seegronan	Wind Farm	GU_501400	Magherakeel 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Cloonty	Wind Farm	GU_501390	Loguestown 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Tievenameenta	Wind Farm	GU_501500	Magherakeel 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Ora More	Wind Farm	GU_501520	Enniskillen 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Eglish	Wind Farm	GU_501440	Killymallaght 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Long Mountain	Wind Farm	GU_501540	Rasharkin 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Cregganconroe	Wind Farm	GU_501480	Tremoge 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Gortfinbar	Wind Farm	GU_501530	Tremoge 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Corby Knowe	Wind Farm	GU_501410	Antrim 110kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Slieve Divena 2	Wind Farm	GU_501550	Gort 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Altamuskin	Wind Farm	GU_501570	Gort 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Inishative	Wind Farm	GU_501490	Tremoge 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Crockandun	Wind Farm	GU_501710	Tremoge 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Shantavny Scotch	Wind Farm	GU_501700	Gort 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Altaveedan	Wind Farm	GU_501620	Rasharkin 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Crockdun	Wind Farm	GU_501430	Tremoge 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Rathsherry	Wind Farm	GU_501680	Ballymena 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Elginny Hill	Wind Farm	GU_501720	Ballymena 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Cornavarrow	Wind Farm	GU_501750	Curraghamulkin 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Castlecraig	Wind Farm	GU_501730	Curraghamulkin 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Teiges	Wind Farm	GU_501740	Gort 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Rasharkin PV (Bann Road PV)	Solar Farm	GU_501630	Rasharkin 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Lough Road PV	Solar Farm	GU_501650	Lisburn 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Ballinderry Road PV	Solar Farm	GU_501660	Lisburn 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Maghaberry Road PV	Solar Farm	GU_501690	Lisburn 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Lisahally Power Station	Biomass	GU_501350	Coolkeeragh 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Contour Global APTG	CG2	GU_500900	Lisburn 110kV	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Contour Global AGU	AGU	GU_500904	Lisburn 110kV	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012	1.012
Empower AGU	AGU	GU_501230	AGU	1.024	1.022	1.024	1.022	1.024	1.022	1.024	1.022	1.024	1.022	1.024	1.022	1.024	1.022	1.024	1.022	1.024	1.022	1.024	1.022	1.024	1.022	1.024	1.022
iPower AGU	AGU	GU_501130	AGU	1.058	1.028	1.058	1.028	1.057	1.028	1.057	1.028	1.057	1.028	1.057	1.028	1.057	1.028	1.057	1.028	1.057	1.028	1.057	1.028	1.057	1.028	1.057	1.028

1) Moyle TLAFs have been calculated using the I-SEM methodology for the full 2018-19 tariff year.

MARKET PARTICIPANTS - NORTHERN IRELAND COMBINED LOSS ADJUSTMENT FACTORS 2018-19 - v2.0

Month

NI Transmission-Connected Generation Station	Unit Identifier SO	Unit Identifier MO	Connected at	October 2018					November 2018					December 2018					January 2019				
				00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59
				CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5
Ballylumford	B4	GU_500282	Ballylumford 275 kV	0.998	0.999	0.999	0.998	0.998	1.000	1.001	1.001	1.000	1.000	0.999	0.999	0.999	0.999	0.999	1.003	1.001	1.001	1.003	1.003
Ballylumford (deregistered GU_500110)	B5	GU_500281	Ballylumford 275 kV	0.998	0.999	0.999	0.998	0.998	1.000	1.001	1.001	1.000	1.000	0.999	0.999	0.999	0.999	0.999	1.003	1.001	1.001	1.003	1.003
Ballylumford (deregistered GU_500150)	BGT1	GU_500283	Ballylumford 110 kV	0.995	0.996	0.996	0.995	0.995	0.997	0.998	0.998	0.997	0.997	0.996	0.996	0.996	0.996	0.996	1.000	0.998	0.998	1.000	1.000
Ballylumford (deregistered GU_500160)	BGT2	GU_500284	Ballylumford 110 kV	0.995	0.996	0.996	0.995	0.995	0.997	0.998	0.998	0.997	0.997	0.996	0.996	0.996	0.996	0.996	1.000	0.998	0.998	1.000	1.000
Ballylumford	B10	GU_500140	Ballylumford 110 kV	0.995	0.996	0.996	0.995	0.995	0.997	0.998	0.998	0.997	0.997	0.996	0.996	0.996	0.996	0.996	1.000	0.998	0.998	1.000	1.000
Ballylumford Combined	B31 B32	GU_500130/131	Ballylumford 275 kV	0.998	0.999	0.999	0.998	0.998	1.000	1.001	1.001	1.000	1.000	0.999	0.999	0.999	0.999	0.999	1.003	1.001	1.001	1.003	1.003
Coolkeeragh	C30	GU_500040	Coolkeeragh 275/110 kV	0.988	0.990	0.990	0.988	0.988	0.990	0.992	0.992	0.990	0.990	0.989	0.991	0.991	0.989	0.989	0.994	0.994	0.994	0.994	0.994
Coolkeeragh	CGT8	GU_500041	Coolkeeragh 110 kV	0.984	0.987	0.987	0.984	0.984	0.986	0.989	0.989	0.986	0.986	0.985	0.988	0.988	0.985	0.985	0.990	0.992	0.992	0.990	0.990
Kilroot	K1	GU_500822	Kilroot 275 kV	0.997	0.999	0.999	0.997	0.997	0.999	1.001	1.001	0.999	0.999	0.998	0.999	0.999	0.998	0.998	1.002	1.001	1.001	1.002	1.002
Kilroot	K2	GU_500823	Kilroot 275 kV	0.997	0.999	0.999	0.997	0.997	0.999	1.001	1.001	0.999	0.999	0.998	0.999	0.999	0.998	0.998	1.002	1.001	1.001	1.002	1.002
Kilroot	KGT1	GU_500824	Kilroot 275 kV	0.997	0.999	0.999	0.997	0.997	0.999	1.001	1.001	0.999	0.999	0.998	0.999	0.999	0.998	0.998	1.002	1.001	1.001	1.002	1.002
Kilroot	KGT2	GU_500825	Kilroot 275 kV	0.997	0.999	0.999	0.997	0.997	0.999	1.001	1.001	0.999	0.999	0.998	0.999	0.999	0.998	0.998	1.002	1.001	1.001	1.002	1.002
Kilroot	KGT3	GU_500820	Kilroot 275 kV	0.997	0.999	0.999	0.997	0.997	0.999	1.001	1.001	0.999	0.999	0.998	0.999	0.999	0.998	0.998	1.002	1.001	1.001	1.002	1.002
Kilroot	KGT4	GU_500821	Kilroot 275 kV	0.997	0.999	0.999	0.997	0.997	0.999	1.001	1.001	0.999	0.999	0.998	0.999	0.999	0.998	0.998	1.002	1.001	1.001	1.002	1.002
Brockaghboy	BKY	GU_501670	Brockaghboy 110kV	0.982	0.986	0.986	0.982	0.982	0.984	0.989	0.989	0.984	0.984	0.983	0.986	0.986	0.983	0.983	0.988	0.990	0.990	0.988	0.988
Slieve Kirk	SK1	GU_501160	Killymallaght 110kV	0.981	0.985	0.985	0.981	0.981	0.983	0.987	0.987	0.983	0.983	0.982	0.985	0.985	0.982	0.982	0.987	0.989	0.989	0.987	0.987
Moyle (Auchencrosh)*	M	GU_500200	Auchencrosh 275 kV	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976

NI Transmission-Connected Generation Station	MO	February 2019					March 2019					April 2019					May 2019				
		00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59
		CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5
Ballylumford	GU_500282	1.004	1.002	1.002	1.004	1.004	1.002	1.001	1.001	1.002	1.002	1.003	0.999	0.999	1.003	1.003	0.998	0.995	0.995	0.998	0.998
Ballylumford (deregistered GU_500110)	GU_500281	1.004	1.002	1.002	1.004	1.004	1.002	1.001	1.001	1.002	1.002	1.003	0.999	0.999	1.003	1.003	0.998	0.995	0.995	0.998	0.998
Ballylumford (deregistered GU_500150)	GU_500283	1.001	0.999	0.999	1.001	1.001	1.001	0.999	0.999	1.001	1.001	1.000	0.996	0.996	1.000	1.000	0.994	0.991	0.991	0.994	0.994
Ballylumford (deregistered GU_500160)	GU_500284	1.001	0.999	0.999	1.001	1.001	1.001	0.999	0.999	1.001	1.001	1.000	0.996	0.996	1.000	1.000	0.994	0.991	0.991	0.994	0.994
Ballylumford	GU_500140	1.001	0.999	0.999	1.001	1.001	1.001	0.999	0.999	1.001	1.001	1.000	0.996	0.996	1.000	1.000	0.994	0.991	0.991	0.994	0.994
Ballylumford Combined	GU_500130/131	1.004	1.002	1.002	1.004	1.004	1.002	1.001	1.001	1.002	1.002	1.003	0.999	0.999	1.003	1.003	0.998	0.995	0.995	0.998	0.998
Coolkeeragh	GU_500040	0.994	0.994	0.994	0.994	0.994	0.992	0.993	0.993	0.992	0.992	0.995	0.994	0.994	0.995	0.995	0.988	0.987	0.987	0.988	0.988
Coolkeeragh	GU_500041	0.990	0.991	0.991	0.990	0.990	0.988	0.990	0.990	0.988	0.988	0.991	0.991	0.991	0.991	0.991	0.984	0.984	0.984	0.984	0.984
Kilroot	GU_500822	1.002	1.002	1.002	1.002	1.002	1.001	1.000	1.000	1.001	1.001	1.003	1.001	1.001	1.003	1.003	0.998	0.997	0.997	0.998	0.998
Kilroot	GU_500823	1.002	1.002	1.002	1.002	1.002	1.001	1.000	1.000	1.001	1.001	1.003	1.001	1.001	1.003	1.003	0.998	0.997	0.997	0.998	0.998
Kilroot	GU_500824	1.002	1.002	1.002	1.002	1.002	1.001	1.000	1.000	1.001	1.001	1.003	1.001	1.001	1.003	1.003	0.998	0.997	0.997	0.998	0.998
Kilroot	GU_500825	1.002	1.002	1.002	1.002	1.002	1.001	1.000	1.000	1.001	1.001	1.003	1.001	1.001	1.003	1.003	0.998	0.997	0.997	0.998	0.998
Kilroot	GU_500820	1.002	1.002	1.002	1.002	1.002	1.001	1.000	1.000	1.001	1.001	1.003	1.001	1.001	1.003	1.003	0.998	0.997	0.997	0.998	0.998
Kilroot	GU_500821	1.002	1.002	1.002	1.002	1.002	1.001	1.000	1.000	1.001	1.001	1.003	1.001	1.001	1.003	1.003	0.998	0.997	0.997	0.998	0.998
Brockaghboy	GU_501670	0.988	0.990	0.990	0.988	0.988	0.986	0.987	0.987	0.986	0.986	0.988	0.985	0.985	0.988	0.988	0.981	0.980	0.980	0.981	0.981
Slieve Kirk	GU_501160	0.987	0.989	0.989	0.987	0.987	0.985	0.987	0.987	0.985	0.985	0.987	0.988	0.988	0.987	0.987	0.980	0.982	0.982	0.980	0.980
Moyle (Auchencrosh)*	GU_500200	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976

NI Transmission-Connected Generation Station	MO	June 2019					July 2019					August 2019					September 2019				
		00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59
		CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5
Ballylumford	GU_500282	0.993	0.991	0.991	0.993	0.993	0.995	0.994	0.994	0.995	0.995	0.996	0.993	0.993	0.996	0.996	0.997	0.994	0.994	0.997	0.997
Ballylumford (deregistered GU_500110)	GU_500281	0.993	0.991	0.991	0.993	0.993	0.995	0.994	0.994	0.995	0.995	0.996	0.993	0.993	0.996	0.996	0.997	0.994	0.994	0.997	0.997
Ballylumford (deregistered GU_500150)	GU_500283	0.990	0.988	0.988	0.990	0.990	0.991	0.990	0.990	0.991	0.991	0.992	0.989	0.989	0.992	0.992	0.993	0.990	0.990	0.993	0.993
Ballylumford (deregistered GU_500160)	GU_500284	0.990	0.988	0.988	0.990	0.990	0.991	0.990	0.990	0.991	0.991	0.992	0.989	0.989	0.992	0.992	0.993	0.990	0.990	0.993	0.993
Ballylumford	GU_500140	0.990	0.988	0.988	0.990	0.990	0.991	0.990	0.990	0.991	0.991	0.992	0.989	0.989	0.992	0.992	0.993	0.990	0.990	0.993	0.993
Ballylumford Combined	GU_500130/131	0.993	0.991	0.991	0.993	0.993	0.995	0.994	0.994	0.995	0.995	0.996	0.993	0.993	0.996	0.996	0.997	0.994	0.994	0.997	0.997
Coolkeeragh	GU_500040	0.987	0.987	0.987	0.987	0.987	0.989	0.990	0.990	0.989	0.989	0.994	0.994	0.994	0.994	0.994	0.994	0.994	0.994	0.994	0.994
Coolkeeragh	GU_500041	0.984	0.984	0.984	0.984	0.984	0.986	0.988	0.988	0.986	0.986	0.991	0.992	0.992	0.991	0.991	0.992	0.992	0.992	0.992	0.992
Kilroot	GU_500822	0.993	0.993	0.993	0.993	0.993	0.995	0.995	0.995	0.995	0.995	0.997	0.996	0.996	0.997	0.997	0.998	0.996	0.996	0.998	0.998
Kilroot	GU_500823	0.993	0.993	0.993	0.993	0.993	0.995	0.995	0.995	0.995	0.995	0.997	0.996	0.996	0.997	0.997	0.998	0.996	0.996	0.998	0.998
Kilroot	GU_500824	0.993	0.993	0.993	0.993	0.993	0.995	0.995	0.995	0.995	0.995	0.997	0.996	0.996	0.997	0.997	0.998	0.996	0.996	0.998	0.998
Kilroot	GU_500825	0.993	0.993	0.993	0.993	0.993	0.995	0.995	0.995	0.995	0.995	0.997	0.996	0.996	0.997	0.997	0.998	0.996	0.996	0.998	0.998
Kilroot	GU_500820	0.993	0.993	0.993	0.993	0.993	0.995	0.995	0.995	0.995	0.995	0.997	0.996	0.996	0.997	0.997	0.998	0.996	0.996	0.998	0.998
Kilroot	GU_500821	0.993	0.993	0.993	0.993	0.993	0.995	0.995	0.995	0.995	0.995	0.997	0.996	0.996	0.997	0.997	0.998	0.996	0.996	0.998	0.998
Brockaghboy	GU_501670	0.979	0.976	0.976	0.979	0.979	0.980	0.980	0.980	0.980	0.980	0.982	0.981	0.981	0.982	0.982	0.984	0.983	0.983	0.984	0.984
Slieve Kirk	GU_501160	0.980	0.981	0.981	0.980	0.980	0.981	0.985	0.985	0.981	0.981	0.985	0.988	0.988	0.985	0.985	0.986	0.988	0.988	0.986	0.986
Moyle (Auchencrosh)*	GU_500200	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976	0.976

Month

NI Distribution-Connected Generation Station	Unit Identifier SO	Unit Identifier MO	Connected/Embedded at	October 2018					November 2018					December 2018					January 2019				
				00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59
				CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5
Altahullion (1)	Wind Farm	GU_503200	Limavady 110kV	0.983	0.988	0.988	0.983	0.983	0.986	0.991	0.991	0.986	0.986	0.985	0.989	0.989	0.985	0.985	0.990	0.993	0.993	0.990	0.990
Altahullion (2)	Wind Farm	GU_500211	Limavady 110kV	0.995	1.000	1.000	0.995	0.995	0.998	1.003	1.003	0.998	0.998	0.997	1.001	1.001	0.997	0.997	1.002	1.005	1.005	1.002	1.002
Callagheen	Wind Farm	GU_500020	Enniskillen 110kV	0.982	0.989	0.989	0.982	0.982	0.985	0.992	0.992	0.985	0.985	0.984	0.990	0.990	0.984	0.984	0.988	0.993	0.993	0.988	0.988
Crockagarran	Wind Farm	GU_501050	Dungannon 110kV	1.007	1.010	1.010	1.007	1.007	1.009	1.013	1.013	1.009	1.009	1.008	1.010	1.010	1.008	1.008	1.012	1.013	1.013	1.012	1.012
Hunter's Hill	Wind Farm	GU_501040	Omagh 110kV	0.995	1.000	1.000	0.995	0.995	0.997	1.002	1.002	0.997	0.997	0.996	1.000	1.000	0.996	0.996	1.000	1.003	1.003	1.000	1.000
Lendrums Bridge (1)	Wind Farm	GU_501310	Omagh 110kV	0.995	1.000	1.000	0.995	0.995	0.997	1.002	1.002	0.997	0.997	0.996	1.000	1.000	0.996	0.996	1.000	1.003	1.003	1.000	1.000
Lendrums Bridge (2)	Wind Farm	GU_503210	Omagh 110kV	0.983	0.988	0.988	0.983	0.983	0.985	0.990	0.990	0.985	0.985	0.984	0.988	0.988	0.984	0.984	0.988	0.991	0.991	0.988	0.988
Slieve Rushen 2	Wind Farm	GU_500270	Aghyoule 110kV	0.990	0.997	0.997	0.990	0.990	0.992	1.001	1.001	0.992	0.992	0.991	0.998	0.998	0.991	0.991	0.995	1.002	1.002	0.995	0.995
Gortmullan Energy Limited (Snugborough)	Wind Farm	GU_503310	Aghyoule 110kV	0.978	0.985	0.985	0.978	0.978	0.980	0.989	0.989	0.980	0.980	0.979	0.986	0.986	0.979	0.979	0.983	0.990	0.990	0.983	0.983
Tappaghan	Wind Farm	GU_500010	Omagh 110kV	0.995	1.000	1.000	0.995	0.995	0.997	1.002	1.002	0.997	0.997	0.996	1.000	1.000	0.996	0.996	1.000	1.003	1.003	1.000	1.000
Slieve Divena	Wind Farm	GU_500740	Omagh 110kV	0.995	1.000	1.000	0.995	0.995	0.997	1.002	1.002	0.997	0.997	0.996	1.000	1.000	0.996	0.996	1.000	1.003	1.003	1.000	1.000
Garves	Wind Farm	GU_500720	Coleraine 110kV	0.995	1.000	1.000	0.995	0.995	0.998	1.004	1.004	0.998	0.998	0.997	1.001	1.001	0.997	0.997	1.002	1.006	1.006	1.002	1.002
Gruig	Wind Farm	GU_500790	Coleraine 110kV	0.995	1.000	1.000	0.995	0.995	0.998	1.004	1.004	0.998	0.998	0.997	1.001	1.001	0.997	0.997	1.002	1.006	1.006	1.002	1.002
Screggagh	Wind Farm	GU_501120	Omagh 110kV	0.995	1.000	1.000	0.995	0.995	0.997	1.002	1.002	0.997	0.997	0.996	1.000	1.000	0.996	0.996	1.000	1.003	1.003	1.000	1.000
Curryfree	Wind Farm	GU_501150	Lisaghmore 110kV	0.996	1.000	1.000	0.996	0.996	0.998	1.002	1.002	0.998	0.998	0.998	1.000	1.000	0.998	0.998	1.003	1.004	1.004	1.003	1.003
Crighshane	Wind Farm	GU_501180	Magherakeel 110kV	0.985	0.990	0.990	0.985	0.985	0.987	0.992	0.992	0.987	0.987	0.986	0.990	0.990	0.986	0.986	0.990	0.993	0.993	0.990	0.990
Church Hill	Wind Farm	GU_501170	Magherakeel 110kV	0.985	0.990	0.990	0.985	0.985	0.987	0.992	0.992	0.987	0.987	0.986	0.990	0.990	0.986	0.986	0.990	0.993	0.993	0.990	0.990
Carrickatane	Wind Farm	GU_501190	Killymallaght 110kV	0.993	0.997	0.997	0.993	0.993	0.995	0.999	0.999	0.995	0.995	0.994	0.997	0.997	0.994	0.994	0.999	1.001	1.001	0.999	0.999
Carn Hill	Wind Farm	GU_501210	Carnmoney 110kV	1.013	1.015	1.015	1.013	1.013	1.016	1.018	1.018	1.016	1.016	1.014	1.016	1.016	1.014	1.014	1.019	1.019	1.019	1.019	1.019
Dunmore	Wind Farm	GU_501250	Coleraine 110kV	0.995	1.000	1.000	0.995	0.995	0.998	1.004	1.004	0.998	0.998	0.997	1.001	1.001	0.997	0.997	1.002	1.006	1.006	1.002	1.002
Dunbeg	Wind Farm	GU_501280	Coleraine 110kV	0.995	1.000	1.000	0.995	0.995	0.998	1.004	1.004	0.998	0.998	0.997	1.001	1.001	0.997	0.997	1.002	1.006	1.006	1.002	1.002
Thornog	Wind Farm	GU_501290	Magherakeel 110kV	0.985	0.990	0.990	0.985	0.985	0.987	0.992	0.992	0.987	0.987	0.986	0.990	0.990	0.986	0.986	0.990	0.993	0.993	0.990	0.990
Molly Mountain	Wind Farm	GU_501300	Aghyoule 110kV	0.990	0.997	0.997	0.990	0.990	0.992	1.001	1.001	0.992	0.992	0.991	0.998	0.998	0.991	0.991	0.995	1.002	1.002	0.995	0.995
Monnaboy	Wind Farm	GU_501360	Coolkeeragh 110kV	0.996	0.999	0.999	0.996	0.996	0.998	1.001	1.001	0.998	0.998	0.997	1.000	1.000	0.997	0.997	1.002	1.004	1.004	1.002	1.002
Seegronan	Wind Farm	GU_501400	Magherakeel 110kV	0.985	0.990	0.990	0.985	0.985	0.987	0.992	0.992	0.987	0.987	0.986	0.990	0.990	0.986	0.986	0.990	0.993	0.993	0.990	0.990
Cloonty	Wind Farm	GU_501390	Loguestown 110kV	0.996	1.001	1.001	0.996	0.996	0.998	1.005	1.005	0.998	0.998	0.998	1.002	1.002	0.998	0.998	1.003	1.007	1.007	1.003	1.003
Tievenameenta	Wind Farm	GU_501500	Magherakeel 110kV	0.985	0.990	0.990	0.985	0.985	0.987	0.992	0.992	0.987	0.987	0.986	0.990	0.990	0.986	0.986	0.990	0.993	0.993	0.990	0.990
Ora More	Wind Farm	GU_501520	Enniskillen 110kV	0.994	1.001	1.001	0.994	0.994	0.997	1.004	1.004	0.997	0.997	0.996	1.002	1.002	0.996	0.996	1.000	1.005	1.005	1.000	1.000
Eglish	Wind Farm	GU_501440	Killymallaght 110kV	0.993	0.997	0.997	0.993	0.993	0.995	0.999	0.999	0.995	0.995	0.994	0.997	0.997	0.994	0.994	0.999	1.001	1.001	0.999	0.999
Long Mountain	Wind Farm	GU_501540	Rasharkin 110kV	0.995	0.999	0.999	0.995	0.995	0.998	1.002	1.002	0.998	0.998	0.997	1.000	1.000	0.997	0.997	1.001	1.004	1.004	1.001	1.001
Cregganconroe	Wind Farm	GU_501480	Tremoge 110kV	0.998	1.002	1.002	0.998	0.998	1.000	1.004	1.004	1.000	1.000	0.999	1.002	1.002	0.999	0.999	1.003	1.005	1.005	1.003	1.003
Gortfinbar	Wind Farm	GU_501530	Tremoge 110kV	0.998	1.002	1.002	0.998	0.998	1.000	1.004	1.004	1.000	1.000	0.999	1.002	1.002	0.999	0.999	1.003	1.005	1.005	1.003	1.003
Corby Knowe	Wind Farm	GU_501410	Antrim 110kV	0.998	1.000	1.000	0.998	0.998	1.000	1.002	1.002	1.000	1.000	0.998	0.999	0.999	0.998	0.998	1.003	1.002	1.002	1.003	1.003
Slieve Divena 2	Wind Farm	GU_501550	Gort 110kV	0.997	1.002	1.002	0.997	0.997	1.000	1.004	1.004	1.000	1.000	0.999	1.002	1.002	0.999	0.999	1.003	1.005	1.005	1.003	1.003
Altamuskin	Wind Farm	GU_501570	Gort 110kV	0.997	1.002	1.002	0.997	0.997	1.000	1.004	1.004	1.000	1.000	0.999	1.002	1.002	0.999	0.999	1.003	1.005	1.005	1.003	1.003
Inishative	Wind Farm	GU_501490	Tremoge 110kV	0.998	1.002	1.002	0.998	0.998	1.000	1.004	1.004	1.000	1.000	0.999	1.002	1.002	0.999	0.999	1.003	1.005	1.005	1.003	1.003
Crockandun	Wind Farm	GU_501710	Tremoge 110kV	0.998	1.002	1.002	0.998	0.998	1.000	1.004	1.004	1.000	1.000	0.999	1.002	1.002	0.999	0.999	1.003	1.005	1.005	1.003	1.003
Shantavny Scotch	Wind Farm	GU_501700	Gort 110kV	0.997	1.002	1.002	0.997	0.997	1.000	1.004	1.004	1.000	1.000	0.999	1.002	1.002	0.999	0.999	1.003	1.005	1.005	1.003	1.003
Altaveedan	Wind Farm	GU_501620	Rasharkin 110kV	0.995	0.999	0.999	0.995	0.995	0.998	1.002	1.002	0.998	0.998	0.997	1.000	1.000	0.997	0.997	1.001	1.004	1.004	1.001	1.001
Crockdun	Wind Farm	GU_501430	Tremoge 110kV	0.998	1.002	1.002	0.998	0.998	1.000	1.004	1.004	1.000	1.000	0.999	1.002	1.002	0.999	0.999	1.003	1.005	1.005	1.003	1.003
Rathsherry	Wind Farm	GU_501680	Ballymena 110kV	1.010	1.012	1.012	1.010	1.010	1.012	1.015	1.015	1.012	1.012	1.011	1.012	1.012	1.011	1.011	1.015	1.015	1.015	1.015	1.015
Elginny Hill	Wind Farm	GU_501720	Ballymena 110kV	1.010	1.012	1.012	1.010	1.010	1.012	1.015	1.015	1.012	1.012	1.011	1.012	1.012	1.011	1.011	1.015	1.015	1.015	1.015	1.015
Cornavarrow	Wind Farm	GU_501750	Curraghamulkin 110kV	0.991	0.997	0.997	0.991	0.991	0.994	1.000	1.000	0.994	0.994	0.993	0.997	0.997	0.993	0.993	0.997	1.001	1.001	0.997	0.997
Castlecraig	Wind Farm	GU_501730	Curraghamulkin 110kV	0.991	0.997	0.997	0.991	0.991	0.994	1.000	1.000	0.994	0.994	0.993	0.997	0.997	0.993	0.993	0.997	1.001	1.001	0.997	0.997
Teiges	Wind Farm	GU_501740	Gort 110kV	0.997	1.002	1.002	0.997	0.997	1.000	1.004	1.004	1.000	1.000	0.999	1.002	1.002	0.999	0.999	1.003	1.005	1.005	1.003	1.003
Rasharkin PV (Bann Road PV)	Solar Farm	GU_501630	Rasharkin 110kV	0.995	0.999	0.999	0.995	0.995	0.998	1.002	1.002	0.998	0.998	0.997	1.000	1.000	0.997	0.997	1.001	1.004	1.004	1.001	1.001
Lough Road PV	Solar Farm	GU_501650	Lisburn 110kV	1.014	1.017	1.017	1.014	1.014	1.017	1.019	1.019	1.017	1.017	1.015	1.017	1.017	1.015	1.015	1.020	1.020	1.020	1.020	1.020
Ballinderry Road PV	Solar Farm	GU_501660	Lisburn 110kV	1.014	1.017	1.017	1.014	1.014	1.017	1.019	1.019	1.017	1.017	1.015	1.017	1.017	1.015	1.015	1.020	1.020	1.020	1.020	1.020
Maghaberry Road PV	Solar Farm	GU_501690	Lisburn 110kV	1.014	1.017	1.017	1.014	1.014	1.017	1.019	1.019	1.017	1.017	1.015	1.017	1.017	1.015	1.015	1.020	1.020	1.020	1.020	1.020
Lisahally Power Station	Biomass	GU_501350	Coolkeeragh 110kV	0.996	0.999	0.999	0.996	0.996	0.998	1.001	1.001	0.998	0.998	0.997	1.000	1.000	0.997	0.997	1.002	1.004	1.004	1.002	1.002
Contour Global APTG	CG2	GU_500900	Lisburn 110kV	1.002	1.005	1.005	1.002	1.002	1.001	1.006	1.006	1.001	1.001	1.001	1.004	1.004	1.001	1.001	1.005	1.004	1.004	1.005	1.005
Contour Global AGU	AGU	GU_500904	Lisburn 110kV	1.014	1.017	1.017	1.014	1.014	1.013	1.018	1.018	1.013	1.013	1.013	1.016	1.016	1.013	1.013	1.017	1.016	1.016	1.017	1.017
Empower AGU	AGU	GU_501230	N/A	1.022	1.024	1.026	1.024	1.022	1.024	1.027	1.029	1.026	1.024	1.023	1.024	1.026	1.025	1.023	1.027	1.027	1.029	1.029	1.027
iPower Solutions Limited	AGU	GU_501130	N/A	1.024	1.027	1.057	1.054	1.024	1.026	1.030	1.060	1.056	1.026	1.025	1.027	1.057	1.055	1.025	1.030	1.031	1.060	1.059	1.030

NI Distribution-Connected Generation Station	MO	February 2019					March 2019					April 2019					May 2019				
		00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59
		CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5
Altahullion (1)	GU_503200	0.990	0.993	0.993	0.990	0.990	0.988	0.990	0.990	0.988	0.988	0.991	0.990	0.990	0.991	0.991	0.983	0.984	0.984	0.983	0.983
Altahullion (2)	GU_500211	1.002	1.005	1.005	1.002	1.002	1.000	1.002	1.002	1.000	1.000	1.003	1.002	1.002	1.003	1.003	0.995	0.996	0.996	0.995	0.995
Callagheen	GU_500020	0.988	0.993	0.993	0.988	0.988	0.985	0.991	0.991	0.985	0.985	0.987	0.989	0.989	0.987	0.987	0.981	0.985	0.985	0.981	0.981
Crockagarran	GU_501050	1.013	1.013	1.013	1.013	1.013	1.011	1.012	1.012	1.011	1.011	1.013	1.012	1.012	1.013	1.013	1.008	1.008	1.008	1.008	1.008
Hunter's Hill	GU_501040	1.001	1.003	1.003	1.001	1.001	0.998	1.001	1.001	0.998	0.998	0.999	1.001	1.001	0.999	0.999	0.994	0.996	0.996	0.994	0.994
Lendrums Bridge (1)	GU_501310	1.001	1.003	1.003	1.001	1.001	0.998	1.001	1.001	0.998	0.998	0.999	1.001	1.001	0.999	0.999	0.994	0.996	0.996	0.994	0.994
Lendrums Bridge (2)	GU_503210	0.989	0.991	0.991	0.989	0.989	0.986	0.989	0.989	0.986	0.986	0.987	0.989	0.989	0.987	0.987	0.982	0.984	0.984	0.982	0.982
Slieve Rushen 2	GU_500270	0.996	1.002	1.002	0.996	0.996	0.993	0.999	0.999	0.993	0.993	0.994	0.997	0.997	0.994	0.994	0.988	0.992	0.992	0.988	0.988
Gortmullan Energy Limited (Snugborough)	GU_503310	0.984	0.990	0.990	0.984	0.984	0.981	0.987	0.987	0.981	0.981	0.982	0.985	0.985	0.982	0.982	0.976	0.980	0.980	0.976	0.976
Tappaghan	GU_500010	1.001	1.003	1.003	1.001	1.001	0.998	1.001	1.001	0.998	0.998	0.999	1.001	1.001	0.999	0.999	0.994	0.996	0.996	0.994	0.994
Slieve Divena	GU_500740	1.001	1.003	1.003	1.001	1.001	0.998	1.001	1.001	0.998	0.998	0.999	1.001	1.001	0.999	0.999	0.994	0.996	0.996	0.994	0.994
Garves	GU_500720	1.002	1.005	1.005	1.002	1.002	1.000	1.002	1.002	1.000	1.000	1.002	1.001	1.001	1.002	1.002	0.995	0.995	0.995	0.995	0.995
Gruig	GU_500790	1.002	1.005	1.005	1.002	1.002	1.000	1.002	1.002	1.000	1.000	1.002	1.001	1.001	1.002	1.002	0.995	0.995	0.995	0.995	0.995
Screggagh	GU_501120	1.001	1.003	1.003	1.001	1.001	0.998	1.001	1.001	0.998	0.998	0.999	1.001	1.001	0.999	0.999	0.994	0.996	0.996	0.994	0.994
Curryfree	GU_501150	1.003	1.004	1.004	1.003	1.003	1.001	1.002	1.002	1.001	1.001	1.004	1.004	1.004	1.004	1.004	0.996	0.997	0.997	0.996	0.996
Crighshane	GU_501180	0.990	0.993	0.993	0.990	0.990	0.988	0.991	0.991	0.988	0.988	0.989	0.990	0.990	0.989	0.989	0.983	0.985	0.985	0.983	0.983
Church Hill	GU_501170	0.990	0.993	0.993	0.990	0.990	0.988	0.991	0.991	0.988	0.988	0.989	0.990	0.990	0.989	0.989	0.983	0.985	0.985	0.983	0.983
Carrickatane	GU_501190	0.999	1.001	1.001	0.999	0.999	0.997	0.999	0.999	0.997	0.997	0.999	1.000	1.000	0.999	0.999	0.992	0.994	0.994	0.992	0.992
Carn Hill	GU_501210	1.020	1.020	1.020	1.020	1.020	1.018	1.018	1.018	1.018	1.018	1.019	1.016	1.016	1.019	1.019	1.013	1.012	1.012	1.013	1.013
Dunmore	GU_501250	1.002	1.005	1.005	1.002	1.002	1.000	1.002	1.002	1.000	1.000	1.002	1.001	1.001	1.002	1.002	0.995	0.995	0.995	0.995	0.995
Dunbeg	GU_501280	1.002	1.005	1.005	1.002	1.002	1.000	1.002	1.002	1.000	1.000	1.002	1.001	1.001	1.002	1.002	0.995	0.995	0.995	0.995	0.995
Thornog	GU_501290	0.990	0.993	0.993	0.990	0.990	0.988	0.991	0.991	0.988	0.988	0.989	0.990	0.990	0.989	0.989	0.983	0.985	0.985	0.983	0.983
Molly Mountain	GU_501300	0.996	1.002	1.002	0.996	0.996	0.993	0.999	0.999	0.993	0.993	0.994	0.997	0.997	0.994	0.994	0.988	0.992	0.992	0.988	0.988
Monnaboy	GU_501360	1.002	1.003	1.003	1.002	1.002	1.000	1.002	1.002	1.000	1.000	1.003	1.003	1.003	1.003	1.003	0.996	0.996	0.996	0.996	0.996
Seegronan	GU_501400	0.990	0.993	0.993	0.990	0.990	0.988	0.991	0.991	0.988	0.988	0.989	0.990	0.990	0.989	0.989	0.983	0.985	0.985	0.983	0.983
Cloonty	GU_501390	1.003	1.006	1.006	1.003	1.003	1.000	1.003	1.003	1.000	1.000	1.003	1.002	1.002	1.003	1.003	0.995	0.996	0.996	0.995	0.995
Tievenameenta	GU_501500	0.990	0.993	0.993	0.990	0.990	0.988	0.991	0.991	0.988	0.988	0.989	0.990	0.990	0.989	0.989	0.983	0.985	0.985	0.983	0.983
Ora More	GU_501520	1.000	1.005	1.005	1.000	1.000	0.997	1.003	1.003	0.997	0.997	0.999	1.001	1.001	0.999	0.999	0.993	0.997	0.997	0.993	0.993
Eglish	GU_501440	0.999	1.001	1.001	0.999	0.999	0.997	0.999	0.999	0.997	0.997	0.999	1.000	1.000	0.999	0.999	0.992	0.994	0.994	0.992	0.992
Long Mountain	GU_501540	1.002	1.003	1.003	1.002	1.002	0.999	1.000	1.000	0.999	0.999	1.002	0.999	0.999	1.002	1.002	0.995	0.994	0.994	0.995	0.995
Cregganconroe	GU_501480	1.004	1.005	1.005	1.004	1.004	1.001	1.003	1.003	1.001	1.001	1.003	1.003	1.003	1.003	1.003	0.997	0.998	0.998	0.997	0.997
Gortfinbar	GU_501530	1.004	1.005	1.005	1.004	1.004	1.001	1.003	1.003	1.001	1.001	1.003	1.003	1.003	1.003	1.003	0.997	0.998	0.998	0.997	0.997
Corby Knowe	GU_501410	1.003	1.003	1.003	1.003	1.003	1.001	1.001	1.001	1.001	1.001	1.003	1.000	1.000	1.003	1.003	0.998	0.996	0.996	0.998	0.998
Slieve Divena 2	GU_501550	1.003	1.005	1.005	1.003	1.003	1.001	1.003	1.003	1.001	1.001	1.002	1.003	1.003	1.002	1.002	0.997	0.998	0.998	0.997	0.997
Altamuskin	GU_501570	1.003	1.005	1.005	1.003	1.003	1.001	1.003	1.003	1.001	1.001	1.002	1.003	1.003	1.002	1.002	0.997	0.998	0.998	0.997	0.997
Inishative	GU_501490	1.004	1.005	1.005	1.004	1.004	1.001	1.003	1.003	1.001	1.001	1.003	1.003	1.003	1.003	1.003	0.997	0.998	0.998	0.997	0.997
Crockandun	GU_501710	1.004	1.005	1.005	1.004	1.004	1.001	1.003	1.003	1.001	1.001	1.003	1.003	1.003	1.003	1.003	0.997	0.998	0.998	0.997	0.997
Shantavny Scotch	GU_501700	1.003	1.005	1.005	1.003	1.003	1.001	1.003	1.003	1.001	1.001	1.002	1.003	1.003	1.002	1.002	0.997	0.998	0.998	0.997	0.997
Altaveedan	GU_501620	1.002	1.003	1.003	1.002	1.002	0.999	1.000	1.000	0.999	0.999	1.002	0.999	0.999	1.002	1.002	0.995	0.994	0.994	0.995	0.995
Crockdun	GU_501430	1.004	1.005	1.005	1.004	1.004	1.001	1.003	1.003	1.001	1.001	1.003	1.003	1.003	1.003	1.003	0.997	0.998	0.998	0.997	0.997
Rathsherry	GU_501680	1.016	1.016	1.016	1.016	1.016	1.014	1.014	1.014	1.014	1.014	1.016	1.013	1.013	1.016	1.016	1.010	1.009	1.009	1.010	1.010
Elginny Hill	GU_501720	1.016	1.016	1.016	1.016	1.016	1.014	1.014	1.014	1.014	1.014	1.016	1.013	1.013	1.016	1.016	1.010	1.009	1.009	1.010	1.010
Cornavarrow	GU_501750	0.997	1.001	1.001	0.997	0.997	0.994	0.998	0.998	0.994	0.994	0.996	0.998	0.998	0.996	0.996	0.990	0.993	0.993	0.990	0.990
Castlecraig	GU_501730	0.997	1.001	1.001	0.997	0.997	0.994	0.998	0.998	0.994	0.994	0.996	0.998	0.998	0.996	0.996	0.990	0.993	0.993	0.990	0.990
Teiges	GU_501740	1.003	1.005	1.005	1.003	1.003	1.001	1.003	1.003	1.001	1.001	1.002	1.003	1.003	1.002	1.002	0.997	0.998	0.998	0.997	0.997
Rasharkin PV (Bann Road PV)	GU_501630	1.002	1.003	1.003	1.002	1.002	0.999	1.000	1.000	0.999	0.999	1.002	0.999	0.999	1.002	1.002	0.995	0.994	0.994	0.995	0.995
Lough Road PV	GU_501650	1.021	1.020	1.020	1.021	1.021	1.019	1.018	1.018	1.019	1.019	1.020	1.017	1.017	1.020	1.020	1.015	1.013	1.013	1.015	1.015
Ballinderry Road PV	GU_501660	1.021	1.020	1.020	1.021	1.021	1.019	1.018	1.018	1.019	1.019	1.020	1.017	1.017	1.020	1.020	1.015	1.013	1.013	1.015	1.015
Maghaberry Road PV	GU_501690	1.021	1.020	1.020	1.021	1.021	1.019	1.018	1.018	1.019	1.019	1.020	1.017	1.017	1.020	1.020	1.015	1.013	1.013	1.015	1.015
Lisahally Power Station	GU_501350	1.002	1.003	1.003	1.002	1.002	1.000	1.002	1.002	1.000	1.000	1.003	1.003	1.003	1.003	1.003	0.996	0.996	0.996	0.996	0.996
Contour Global APTG	GU_500900	1.005	1.003	1.003	1.005	1.005	1.002	1.002	1.002	1.002	1.002	1.005	1.004	1.004	1.005	1.005	1.003	1.004	1.004	1.003	1.003
Contour Global AGU	GU_500904	1.017	1.015	1.015	1.017	1.017	1.014	1.014	1.014	1.014	1.014	1.017	1.016	1.016	1.017	1.017	1.015	1.016	1.016	1.015	1.015
Empower AGU	GU_501230	1.028	1.028	1.030	1.030	1.028	1.027	1.026	1.028	1.029	1.027	1.027	1.025	1.027	1.029	1.027	1.022	1.021	1.023	1.024	1.022
iPower Solutions Limited	GU_501130	1.030	1.031	1.061	1.060	1.030	1.028	1.029	1.059	1.058	1.028	1.030	1.028	1.058	1.059	1.030	1.024	1.024	1.053	1.054	1.024

NI Distribution-Connected Generation Station	MO	June 2019					July 2019					August 2019					September 2019				
		00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59	00:00:00 06:59:59	07:00:00 07:59:59	08:00:00 21:59:59	22:00:00 22:59:59	23:00:00 23:59:59
		CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5	CLAF1	CLAF2	CLAF3	CLAF4	CLAF5
Altahullion (1)	GU_503200	0.982	0.982	0.982	0.982	0.982	0.983	0.986	0.986	0.983	0.983	0.988	0.989	0.989	0.988	0.988	0.989	0.990	0.990	0.989	0.989
Altahullion (2)	GU_500211	0.994	0.994	0.994	0.994	0.994	0.995	0.998	0.998	0.995	0.995	1.000	1.001	1.001	1.000	1.000	1.001	1.002	1.002	1.001	1.001
Callagheen	GU_500020	0.978	0.982	0.982	0.978	0.978	0.978	0.984	0.984	0.978	0.978	0.980	0.984	0.984	0.980	0.980	0.982	0.985	0.985	0.982	0.982
Crockagarran	GU_501050	1.003	1.004	1.004	1.003	1.003	1.005	1.006	1.006	1.005	1.005	1.006	1.007	1.007	1.006	1.006	1.008	1.008	1.008	1.008	1.008
Hunter's Hill	GU_501040	0.991	0.993	0.993	0.991	0.991	0.991	0.995	0.995	0.991	0.991	0.994	0.996	0.996	0.994	0.994	0.995	0.997	0.997	0.995	0.995
Lendrums Bridge (1)	GU_501310	0.991	0.993	0.993	0.991	0.991	0.991	0.995	0.995	0.991	0.991	0.994	0.996	0.996	0.994	0.994	0.995	0.997	0.997	0.995	0.995
Lendrums Bridge (2)	GU_503210	0.979	0.981	0.981	0.979	0.979	0.979	0.983	0.983	0.979	0.979	0.982	0.984	0.984	0.982	0.982	0.983	0.985	0.985	0.983	0.983
Slieve Rushen 2	GU_500270	0.985	0.989	0.989	0.985	0.985	0.985	0.991	0.991	0.985	0.985	0.987	0.991	0.991	0.987	0.987	0.989	0.993	0.993	0.989	0.989
Gortmullan Energy Limited (Snugborough)	GU_503310	0.973	0.977	0.977	0.973	0.973	0.973	0.979	0.979	0.973	0.973	0.975	0.979	0.979	0.975	0.975	0.977	0.981	0.981	0.977	0.977
Tappaghan	GU_500010	0.991	0.993	0.993	0.991	0.991	0.991	0.995	0.995	0.991	0.991	0.994	0.996	0.996	0.994	0.994	0.995	0.997	0.997	0.995	0.995
Slieve Divena	GU_500740	0.991	0.993	0.993	0.991	0.991	0.991	0.995	0.995	0.991	0.991	0.994	0.996	0.996	0.994	0.994	0.995	0.997	0.997	0.995	0.995
Garves	GU_500720	0.993	0.993	0.993	0.993	0.993	0.994	0.996	0.996	0.994	0.994	0.998	0.999	0.999	0.998	0.998	1.000	1.000	1.000	1.000	1.000
Gruig	GU_500790	0.993	0.993	0.993	0.993	0.993	0.994	0.996	0.996	0.994	0.994	0.998	0.999	0.999	0.998	0.998	1.000	1.000	1.000	1.000	1.000
Screggagh	GU_501120	0.991	0.993	0.993	0.991	0.991	0.991	0.995	0.995	0.991	0.991	0.994	0.996	0.996	0.994	0.994	0.995	0.997	0.997	0.995	0.995
Curryfree	GU_501150	0.997	0.997	0.997	0.997	0.997	0.998	1.001	1.001	0.998	0.998	1.003	1.004	1.004	1.003	1.003	1.005	1.005	1.005	1.005	1.005
Crighshane	GU_501180	0.981	0.983	0.983	0.981	0.981	0.981	0.985	0.985	0.981	0.981	0.983	0.986	0.986	0.983	0.983	0.985	0.987	0.987	0.985	0.985
Church Hill	GU_501170	0.981	0.983	0.983	0.981	0.981	0.981	0.985	0.985	0.981	0.981	0.983	0.986	0.986	0.983	0.983	0.985	0.987	0.987	0.985	0.985
Carrickatane	GU_501190	0.992	0.993	0.993	0.992	0.992	0.993	0.997	0.997	0.993	0.993	0.997	1.000	1.000	0.997	0.997	0.998	1.000	1.000	0.998	0.998
Carn Hill	GU_501210	1.008	1.008	1.008	1.008	1.008	1.010	1.010	1.010	1.010	1.010	1.011	1.009	1.009	1.011	1.011	1.013	1.010	1.010	1.013	1.013
Dunmore	GU_501250	0.993	0.993	0.993	0.993	0.993	0.994	0.996	0.996	0.994	0.994	0.998	0.999	0.999	0.998	0.998	1.000	1.000	1.000	1.000	1.000
Dunbeg	GU_501280	0.993	0.993	0.993	0.993	0.993	0.994	0.996	0.996	0.994	0.994	0.998	0.999	0.999	0.998	0.998	1.000	1.000	1.000	1.000	1.000
Thornog	GU_501290	0.981	0.983	0.983	0.981	0.981	0.981	0.985	0.985	0.981	0.981	0.983	0.986	0.986	0.983	0.983	0.985	0.987	0.987	0.985	0.985
Molly Mountain	GU_501300	0.985	0.989	0.989	0.985	0.985	0.985	0.991	0.991	0.985	0.985	0.987	0.991	0.991	0.987	0.987	0.989	0.993	0.993	0.989	0.989
Monnaboy	GU_501360	0.996	0.996	0.996	0.996	0.996	0.998	1.000	1.000	0.998	0.998	1.003	1.004	1.004	1.003	1.003	1.004	1.004	1.004	1.004	1.004
Seegronan	GU_501400	0.981	0.983	0.983	0.981	0.981	0.981	0.985	0.985	0.981	0.981	0.983	0.986	0.986	0.983	0.983	0.985	0.987	0.987	0.985	0.985
Cloonty	GU_501390	0.994	0.993	0.993	0.994	0.994	0.995	0.997	0.997	0.995	0.995	0.999	0.999	0.999	0.999	0.999	1.001	1.001	1.001	1.001	1.001
Tievenameenta	GU_501500	0.981	0.983	0.983	0.981	0.981	0.981	0.985	0.985	0.981	0.981	0.983	0.986	0.986	0.983	0.983	0.985	0.987	0.987	0.985	0.985
Ora More	GU_501520	0.990	0.994	0.994	0.990	0.990	0.990	0.996	0.996	0.990	0.990	0.992	0.996	0.996	0.992	0.992	0.994	0.997	0.997	0.994	0.994
Eglish	GU_501440	0.992	0.993	0.993	0.992	0.992	0.993	0.997	0.997	0.993	0.993	0.997	1.000	1.000	0.997	0.997	0.998	1.000	1.000	0.998	0.998
Long Mountain	GU_501540	0.992	0.990	0.990	0.992	0.992	0.993	0.993	0.993	0.993	0.993	0.996	0.995	0.995	0.996	0.996	0.998	0.997	0.997	0.998	0.998
Cregganconroe	GU_501480	0.994	0.996	0.996	0.994	0.994	0.995	0.998	0.998	0.995	0.995	0.997	0.998	0.998	0.997	0.997	0.998	0.999	0.999	0.998	0.998
Gortfinbar	GU_501530	0.994	0.996	0.996	0.994	0.994	0.995	0.998	0.998	0.995	0.995	0.997	0.998	0.998	0.997	0.997	0.998	0.999	0.999	0.998	0.998
Corby Knowe	GU_501410	0.993	0.992	0.992	0.993	0.993	0.995	0.994	0.994	0.995	0.995	0.997	0.994	0.994	0.997	0.997	0.998	0.996	0.996	0.998	0.998
Slieve Divena 2	GU_501550	0.994	0.995	0.995	0.994	0.994	0.994	0.997	0.997	0.994	0.994	0.996	0.998	0.998	0.996	0.996	0.998	0.999	0.999	0.998	0.998
Altamuskin	GU_501570	0.994	0.995	0.995	0.994	0.994	0.994	0.997	0.997	0.994	0.994	0.996	0.998	0.998	0.996	0.996	0.998	0.999	0.999	0.998	0.998
Inishative	GU_501490	0.994	0.996	0.996	0.994	0.994	0.995	0.998	0.998	0.995	0.995	0.997	0.998	0.998	0.997	0.997	0.998	0.999	0.999	0.998	0.998
Crockandun	GU_501710	0.994	0.996	0.996	0.994	0.994	0.995	0.998	0.998	0.995	0.995	0.997	0.998	0.998	0.997	0.997	0.998	0.999	0.999	0.998	0.998
Shantavny Scotch	GU_501700	0.994	0.995	0.995	0.994	0.994	0.994	0.997	0.997	0.994	0.994	0.996	0.998	0.998	0.996	0.996	0.998	0.999	0.999	0.998	0.998
Altaveedan	GU_501620	0.992	0.990	0.990	0.992	0.992	0.993	0.993	0.993	0.993	0.993	0.996	0.995	0.995	0.996	0.996	0.998	0.997	0.997	0.998	0.998
Crockdun	GU_501430	0.994	0.996	0.996	0.994	0.994	0.995	0.998	0.998	0.995	0.995	0.997	0.998	0.998	0.997	0.997	0.998	0.999	0.999	0.998	0.998
Rathsherry	GU_501680	1.006	1.005	1.005	1.006	1.006	1.007	1.007	1.007	1.007	1.007	1.009	1.007	1.007	1.009	1.009	1.010	1.008	1.008	1.010	1.010
Elginny Hill	GU_501720	1.006	1.005	1.005	1.006	1.006	1.007	1.007	1.007	1.007	1.007	1.009	1.007	1.007	1.009	1.009	1.010	1.008	1.008	1.010	1.010
Cornavarrow	GU_501750	0.987	0.990	0.990	0.987	0.987	0.987	0.992	0.992	0.987	0.987	0.990	0.993	0.993	0.990	0.990	0.991	0.994	0.994	0.991	0.991
Castlecraig	GU_501730	0.987	0.990	0.990	0.987	0.987	0.987	0.992	0.992	0.987	0.987	0.990	0.993	0.993	0.990	0.990	0.991	0.994	0.994	0.991	0.991
Teiges	GU_501740	0.994	0.995	0.995	0.994	0.994	0.994	0.997	0.997	0.994	0.994	0.996	0.998	0.998	0.996	0.996	0.998	0.999	0.999	0.998	0.998
Rasharkin PV (Bann Road PV)	GU_501630	0.992	0.990	0.990	0.992	0.992	0.993	0.993	0.993	0.993	0.993	0.996	0.995	0.995	0.996	0.996	0.998	0.997	0.997	0.998	0.998
Lough Road PV	GU_501650	1.010	1.009	1.009	1.010	1.010	1.011	1.011	1.011	1.011	1.011	1.013	1.011	1.011	1.013	1.013	1.014	1.012	1.012	1.014	1.014
Ballinderry Road PV	GU_501660	1.010	1.009	1.009	1.010	1.010	1.011	1.011	1.011	1.011	1.011	1.013	1.011	1.011	1.013	1.013	1.014	1.012	1.012	1.014	1.014
Maghaberry Road PV	GU_501690	1.010	1.009	1.009	1.010	1.010	1.011	1.011	1.011	1.011	1.011	1.013	1.011	1.011	1.013	1.013	1.014	1.012	1.012	1.014	1.014
Lisahally Power Station	GU_501350	0.996	0.996	0.996	0.996	0.996	0.998	1.000	1.000	0.998	0.998	1.003	1.004	1.004	1.003	1.003	1.004	1.004	1.004	1.004	1.004
Contour Global APTG	GU_500900	0.999	1.000	1.000	0.999	0.999	1.000	1.002	1.002	1.000	1.000	1.002	1.002	1.002	1.002	1.002	0.999	1.003	1.003	0.999	0.999
Contour Global AGU	GU_500904	1.011	1.012	1.012	1.011	1.011	1.012	1.014	1.014	1.012	1.012	1.014	1.014	1.014	1.014	1.014	1.011	1.015	1.015	1.011	1.011
Empower AGU	GU_501230	1.017	1.017	1.019	1.019	1.017	1.019	1.019	1.021	1.021	1.019	1.020	1.019	1.021	1.022	1.020	1.022	1.020	1.022	1.024	1.022
iPower Solutions Limited	GU_501130	1.020	1.020	1.050	1.049	1.020	1.021	1.023	1.052	1.051	1.021	1.023	1.023	1.052	1.053	1.023	1.025	1.024	1.054	1.054	1.025

1) Moyle TLAFs have been calculated using the I-SEM methodology for the full 2018-19 tariff year.

Calculation of CLAF using CLAF Interval Definition Table

CLAF must be calculated for each Trading Period in the day, for all days in the Year for every Unit, based on TLAF and DLAF values.
In any settlement day, there are 5 possible CLAF Interval periods. The CLAF Calculation must take into account the following transitions:

TLAF

- Day-time is from 7.00 a.m. to 10.00 p.m summer and winter.
- The night period cover the remaining hours.

DLAF

- Day-time is from 8.00 a.m. to 11.00 p.m summer and winter.
- The night period cover the remaining hours.

The CLAF Interval Definition table is configurable to allow the transition times to be amended or aligned in the future.

Interval-based CLAF Calculations:

CLAF1 = TLAF (night) * DLAF (night)
CLAF2 = TLAF (day) * DLAF (night)
CLAF3 = TLAF (day) * DLAF (day)
CLAF4 = TLAF (night) * DLAF (day)
CLAF5 = TLAF (night) * DLAF (night)