



Central Market System Client (Type 2) Software Install & Configuration Guide

Table of Contents

1. REVISION HISTORY	3
2 INTRODUCTION.....	4
3. USER REQUIREMENTS FOR CHANGES TO BE CARRIED OUT.....	5
4. SUPPORTED OPERATING SYSTEMS AND CLIENT PC SPECIFICATIONS.....	6
5. BROWSER SPECIFICATION.....	7
6. FORMS PLAYER / XFORMS INFORMATION.....	8
- SECTION B: BACKPLANE BX1.0.19 INSTALLATION FOR WINDOWS 7.....	8
7. FORMSPAYER INSTALL FOR WINDOWS XP SP3	16
8. WINDOWS CONFIGURATION.....	20
9. INTERNET EXPLORER SETTINGS	24
10. JAVA INSTALL	26
11. BackPlane BX1.0.19 ADDITIONAL FILES.....	36
12. Troubleshooting BackPlane BX Issue	37

1. Revision History

Rev Number	Date	Notes	Author
0.1	January 24 th 2012	First Draft Created	SEMO IT
0.2	February 1 st 2012	Second Draft Created	SEMO IT
0.3	February 8 th 2012	Third Draft Created	SEMO IT
0.4	March 8 th 2012	Fourth Draft Created	SEMO IT
0.5	March 23 rd 2012	Fifth Draft Created	SEMO IT
0.6	April 26 th 2012	Final Draft	SEMO IT
0.7	October 8 th 2012	Section 11 Added	SEMO IT
0.8	December 6 th 2013	Java details updated	SEMO IT
0.9	January 27 th 2014	BackPlane OCX File Link added	SEMO IT
1.0	March 3 rd 2014	Introduction changed and Java Installation update with Java 1.6u43. BackPlane information updated.	SEMO IT

2. Introduction

This document is intended to provide a high-level overview of the software that is required to be installed on Client PC's to access the Central Market Systems (CMS). Please note that all prerequisites listed in this guide must be met to ensure successful access to the Central Market Systems.

3. User requirements for changes to be carried out

Please ensure you have administrator permissions on the client PC before making these changes.

Ports to Access Central Market Systems

Please ensure your PC can access the following ports :

MPI = Port 443

Settlements = Port 448

4. Certified and Supported Operating Systems And Client PC Specifications

Any clients accessing the CMS require one of the following Operating Systems:

- **Windows 7**
- **Windows XP - requires Service Pack 3 (SP3) to be installed.** SP3 can be downloaded at this link.

<http://www.microsoft.com/downloads/details.aspx?familyid=5b33b5a8-5e76-401f-be08-1e1555d4f3d4&displaylang=en>

Specifications

The following are the minimum machine specifications needed for Client PC access for CMS.

Windows XP

The minimum hardware requirements for Windows XP Professional include:

- Intel Dual-Core 2.0 gigahertz (MGHz) processor or faster (Intel Quad-Core with 2.2 GHz is recommended)
- At least 2048 megabytes (MB) of RAM (3096 MB is recommended)
- At least 5 gigabytes (GB) of available space on the hard disk
- Keyboard and a Microsoft Mouse or some other compatible pointing device
- Video adapter and monitor with Super VGA (1280 x 768) or higher resolution. Recommended resolution is 1600 x 900.
- Sound card
- Speakers or headphones

Windows 7

The minimum hardware requirements for Windows 7 Professional include:

- Intel Dual-Core 2.0 gigahertz (GHz) or faster 32-bit (x86) or 64-bit (x64) processor
- 2 gigabyte (GB) RAM (32-bit) or 4GB RAM (64-bit)
- 16 GB available hard disk space (32-bit) or 20 GB (64-bit)
- DirectX 9 graphics device with WDDM 1.0 or higher driver
- Video adapter and monitor with Super VGA (1280 x 768) or higher resolution. Recommended resolution is 1600 x 900.

5. Internet Browser Specification

Internet Explorer 8 (32Bit) is the only certified browser that can be used to access the Central Market System.

Internet Explorer 8 can be downloaded from the link below.

Please note that only the 32Bit version of the browser should be used.

Republic of Ireland

<http://windows.microsoft.com/en-ie/internet-explorer/products/ie/home>

UK and Northern Ireland

<http://windows.microsoft.com/en-gb/download/internet-explorer-8-details.aspx>

If required, click on the download button to access the download page.



Select your Operating system from here and follow the prompts to install IE8

Home Explore Windows Products Shop Downloads Help & How-to
 Internet Explorer home Features Compare browsers Videos Power tips Download Help

Download Internet Explorer 8

You can download Internet Explorer 8 in the language that matches your version of Windows or choose the English version, which works with all versions of Windows XP and Windows Vista.

If you need help finding out which version of Windows you're running, see [Is my PC running the 32-bit or 64-bit version of Windows?](#)

Note: Languages with an asterisk (*) require that a matching Windows Language Interface Pack (LIP) is already installed on your computer. For more information, see [Download languages for Windows](#).

[System requirements](#)

Meet Windows 7
 Get to know Windows 7, and see how it can simplify just about everything you do with your PC.
[Learn more](#)

Language	Native name	Windows version
English	English	Select your version Download

Ensure you follow any system requirements or instructions given on the page.

6. XForms/FormsPlayer Information

BackPlaneBX 1.0.19 is the current supported version of XForms/FormsPlayer

This section of the document details how to install FormsPlayer on both Windows 7 and Windows XP Operating systems.

Section B - BackPlane BX 1.0.19 Installation for Windows 7


BackPlane BX 1.0.19 can be downloaded from this link

<http://code.google.com/p/backplanebx/downloads/detail?name=backplanebx-1.0.19-installer.exe&can=2&q=>




The screenshot shows the Code.google.com project page for BackPlaneBX. The page title is "backplanebx" with the subtitle "A set of browser extensions for IE including XForms support". The navigation menu includes "Project Home", "Downloads", "Wiki", "Issues", and "Source". A search bar is present with the text "Current downloads" and a "Search" button. The main content area is titled "Download: Windows installer for Backplane BX 1.0.19". On the left, there is a sidebar with metadata: "Uploaded by: pmbooth", "Released: , 2011", "Uploaded: Jan 3, 2011", "Downloads: 118", "Type-Installer", "OpSys-Windows", and "Featured". The main content area shows a file entry: "File: backplanebx-1.0.19-installer.exe 7.2 MB" with a download icon. Below the file entry, there is a "Description:" section with "SHA1" and "Checksum: 72d4fd9570778ac7a1d694355ea1a245cb077859" and a link "What's this?". A QR code is displayed below the checksum information.


Click on the link to download the software.




Save this to an easily accessible location.




Select SAVE to download the software



When the download is complete, go to the directory that you saved the software and double click on it to open.




You will be prompted to install the software – click on Run.




1. When the installer launches and click Next to continue




2. Make sure all three components are selected, and click Next to continue



3. Leave the default value of BackplaneBX for the start menu folder and click Install




4. When the installation is complete, click Finish to close the installer.




5. The files MSCOMCT2.OCX and MSCOMCTL.OCX are linked in this document. You will find them in Section 11 / Page 36.

Copy these remaining files (MSCOMCT2.OCX and MSCOMCTL.OCX) to the C:\Windows\SysWOW64 directory. You may need to provide administrator permission to copy the files here. Click Continue when prompted.





- Open a command prompt – if using Windows 7 do so by right clicking on the icon and selecting Run As Administrator. Click Yes at the User Account Control prompt. In the command prompt window, change the directory so you are in the C:\Windows\SysWOW64 directory.



- Run the following commands:
`regsvr32 MSCOMCT2.OCX`
`regsvr32 MSCOMCTL.OCX`

After each command, you should get a pop-up window telling you that the command succeeded. Click OK to dismiss this notification.




8. The installation is complete. You can now close the command prompt window.


7. BackPlane Install for Windows XP (SP3)

Follow the download instruction No.6 – Section B to download the BackPlane Software. Then complete the install as follows.


1. Launch the installer and click next to Continue.




2. Make sure all three components are selected, and click Next to continue



3. Leave the default value of BackplaneBX for the start menu folder and click Install




4. When the installation is complete, click Finish to close the installer.



1. The files MSCOMCT2.OCX and MSCOMCTL.OCX are linked in this document. You will find them in Section 11 / Page 36.

Copy these remaining files (MSCOMCT2.OCX and MSCOMCTL.OCX) to the C:\Windows\System32 directory. You may need to provide administrator permission to copy the files here. Click Continue when prompted.





5. Open a command prompt. In the command prompt window, change the directory so you are in the C:\Windows\System32 directory.



6. Run the following commands:
regsvr32 MSCOMCT2.OCX
regsvr32 MSCOMCTL.OCX

After each command, you should get a pop-up window telling you that the command succeeded. Click OK to dismiss this notification.



7. The installation is complete. You can now close the command prompt window.


8. Windows Configuration

To enable multiple secure sessions in IE8 to be open at the same time, a change needs to be performed in the Windows registry. This should be performed on all client PC's, regardless of whether they are running on the OUI, only MPI or both.


Note: Local Administrator rights are needed to complete this.

Warning: incorrect changes to the registry can cause your PC to become unstable. Please ensure you have a recent backup of your registry before continuing.


1. Click on the start menu button and select Run. In the pop up box type in regedit and click ok. This will launch the registry editor program. Click YES if the User Account Control dialogue box opens.




- In the left pane, drill down through the following folders:
HKEY_CURRENT_USER > Software > Microsoft > Internet Explorer > Main



- With the main folder highlighted, you should see a list of properties in the right pane. Right-Click in an empty portion of the right pane, and under New, select DWORD (32-bit) Value




- Name this new parameter SessionMerging. The default value of 0 is what we want, so after naming the parameter you can exit the Registry Editor




9. Internet Explorer Settings

To enable correct access to the market applications, you are required to make a change to your IE8 settings. Please follow these steps.


1. Launch IE8 and click on Tools – Internet Options




2. Click on the Security Tab and the Trusted Sites



3. Click on the Sites Button and enter the URL of the website you need to access. Please note that **https://** needs to be included



4. Click Add after entering the URL. Please note the URL in the screenshot is for **demonstration** purposes only.



5. Click on Close and 'x' out of Internet Explorer

10. Java Install

For client PC's connecting to Central Market Systems, the 32-Bit JRE version 1.6u27 or 1.6u43 should be installed.

NOTE: Java Version 1.6u43 is an optional upgrade. SEMO recommends this for security reasons, however Java Version 1.6u27 will continue to work as normal. If you plan to install the update 43 then the previous version **must be removed prior to installation.**

Important: Only one version of java should be installed.

Clients using a 64Bit version of Windows 7 will need to install the 32-bit version of this software. This is due to BackPlane BX1.0.19 – this BackPlane BX is only compatible with 32bit Software.

The links below contain Java download links for x86 version

Java 1.6u27 - Version


<http://www.oracle.com/technetwork/java/javase/downloads/java-archive-downloads-javase6-419409.html#jre-6u27-oth-JPR>

Java 1.6u43 - Version(Download and installation details for Java 1.6u43 can be found on page 30 of this guide)

Once downloaded follow these instructions. These instructions are applicable for both Windows 7 and Windows XP SP3.

Java 1.6u27 – Version Install Guide


1. Launch the 32-Bit JRE installer. Click the install button on the welcome screen. The default locations can be used.




2. When the installation is complete, click close to exit the installer




3. After installing the JRE software, some parameters need to be updated. Go to the start menu and open the control panel. Type java in the search in the upper-right corner. You should see a listing for Java (32-Bit). Click this item to open the java control panel




- Click the Java tab in the Java Control Panel. Click the **View...** button



- Ideally, there should only be one entry in the window. The value for Product should read 1.6.0_27, and the Enabled option should be checked. If there are more entries, ensure only the above entry is enabled and all other entries are disabled by deselecting the Enabled option.




6. Double-click the Runtime Parameters field for the 1.6.0_27 entry and enter the following text - this is case sensitive. `-Xmx512m`. The 512 value represents the memory allocation in megabytes for the Java runtime. Click OK to save the changes and close the window.



7. Click on the Update tab. Deselect the **Check for Updates Automatically** option. Click the **Never check** button in the warning dialog box that pops up.



8. Click OK to save the changes and close the Java Control Panel




Java 1.6u43 – Version Install Guide

Java 1.6u43 can be downloaded from this link and download the x86 version

<http://www.oracle.com/technetwork/java/javase/downloads/java-archive-downloads-javase6-419409.html#jre-6u43-oth-JPR>

Once downloaded follow these instructions. These instructions are applicable for both Windows 7 and Windows XP SP3.


1. Launch the 32-Bit JRE installer. Click the install button on the welcome screen. The default locations can be used.




2. When the installation is complete, click close to exit the installer




3. After installing the JRE software, some parameters need to be updated. Go to the start menu and open the control panel. Type java in the search in the upper-right corner. You should see a listing for Java (32-Bit). Click this item to open the java control panel




- Click the Java tab in the Java Control Panel. Click the **View...** button




- Ideally, there should only be one entry in the window. The value for Product should read 1.6.0_43, and the Enabled option should be checked. If there are more entries, ensure only the above entry is enabled and all other entries are disabled by deselecting the Enabled option.




6. Double-click the Runtime Parameters field for the 1.6.0_43 entry and enter the following text - this is case sensitive. `-Xmx512m`. The 512 value represents the memory allocation in megabytes for the Java runtime. Click OK to save the changes and close the window.



7. Click on the Update tab. Deselect the **Check for Updates Automatically** option. Click the **Never check** button in the warning dialog box that pops up.



8. Click OK to save the changes and close the Java Control Panel



11.BackPlane BX 1.0.19 Additional Files

Located at this link


<http://www.sem-o.com/Publications/General/BackplaneBXfiles.zip>

12. Troubleshooting BackPlane BX Issue

An issue was raised after go-live with regards to BackPlane BX 1.0.19 causing problems when accessing websites that are coded in XHTML language.

After installation of BackPlane, the user may experience problems with accessing these websites and may be presented with an error message on web pages.

The Solution is to re-install the BackPlane software but only select the 'XForms' option when installing – screenshot below.



This has been tested and verified as working with users experiencing the XHTML issue.

**** Users should install BackPlane BX as normal unless experiencing this specific error ****